



HOROZ®

ELECTRIC



2017 / 2

High Quality **High Performance**

www.horozelektrik.com



High Quality High Performance

ADHESIVE TAPE	157	LED PROJECTOR	107
ALUMINIUM BULKHEAD LAMP	115	LED READING LAMP	86
BALLAST & TRANSFORMER	155	LED SOLAR LAMP	132
BATHROOM LAMP	86	LED SPOTLIGHT	50
CABLE REEL	160	LED STREET LIGHT	118
CABLE TIE	157	LED STRIP	140
CEILING LAMP	70	LED SUSPENSION LIGHT	51
COMPACT CONNECTOR	159	LED TRACK LIGHT	43
CONNECTOR	157	LED TUBE	2
DECORATIVE CEILING LAMP	64	LED WALL LIGHT	66
DESK LAMP	93	LED WALLWASHER	114
DOORBELL	151	LED WATERPROOF LAMP	100
DOWNLIGHT	63	LIGHT CONTROL PHOTOSENSOR	151
DRYWALL KIT APPARATUS	157	LIGHTING TRACK	43
ELECTRONIC WALL LAMP	98	MAGNETIC WALL LAMP	100
ENERGY SAVING LAMP	13	MERCURY LAMP	20
FLOOR LAMP	91	METAL HALIDE LAMP	20
FLUORESCENT LOUVER FITTING	99	METAL HALIDE PROJECTOR	106
FLUORESCENT TUBE	16	NEW MODULE LED AND APPARATUS	107
GARDEN LAMP	120	NAIL CABLE CLIP	157
HALOGEN DOWNLIGHT	22	NEW PENDANT LAMP	60
HALOGEN LAMP	16	PICTURE & MIRROR LAMP	86
HALOGEN PROJECTOR	106	PROJECTOR STAND	107
HIGH BAY LAMP	104	RECESSED MONOPOINT	43
INCANDESCENT LAMP	18	RECHARGEABLE EMERGENCY LED LANTERN	145
INGROUND & RECESSED TYPE LED LAMP	134	NEW RECHARGEABLE LED SOLAR CAMPING LIGHT	145
LAMP HOLDER	156	RECHARGEABLE LED HEADLIGHT	145
LED ROPELIGHT	140	REFLECTOR LAMP	18
LED BATTEN LIGHT	98	RG6	157
LED BULKHEAD LAMP	115	RGB AMPLIFIER	140
NEW LED CANOPY LIGHT	113	RGB CONTROLLER	140
LED CAPSULE	2	SENSOR	151
LED CEILING LAMP	70	SOCKET	157
NEW LED CHRISTMAS LIGHT & DRIVERS	139	STARTER	157
LED DESK LAMP	93	STREET LIGHT	118
LED DOWNLIGHT	25	TERMINAL BLOCK	159
LED DRIVER	140	TIMER	151
LED FLOOR LAMP	91	TRACK CONNECTOR	43
LED GARDEN LAMP	120	UTP CAT5E	157
LED HIGH BAY LAMP	104	UTP CAT6E	157
LED LAMP	2	WALL LIGHT	66
LED NIGHT LAMP	150	WATERPROOF LAMP	100
LED PANEL	38	WATERPROOF LED DRIVER	140
LED PENDANT LAMP	61	WIRE SPRING CONNECTOR	159
LED PICTURE & MIRROR LAMP	86	WIRELESS LIGHTING CONTROLLER SWITCH	151



HOROZ ELECTRIC


LED Lamp / LED Tube / LED Capsule

PREMIER-5

001 006 0005

HL 4305L

- 500 lm
- 3000K / 4200K / 6400K
- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs



PREMIER-8

001 006 0008

HL 4308L

- 850 lm
- 3000K / 4200K / 6400K
- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs



HOROZ ELECTRIC

LED Lamp/LED Tube / LED Capsule




PREMIER-10

001 006 0010

HL 4310L

- 1000 lm
- 3000K / 4200K / 6400K
- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs




PREMIER-12

001 006 0012

HL 4312L

- 1050 lm
- 3000K / 4200K / 6400K
- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs



PREMIER-15

001 006 0015

- 1400 lm
- 3000K / 4200K / 6400K
- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs




3 6 0

INFINITY

001 018 0008

- 220-240V / 50-60 Hz
- Average Life: 25000 Hrs
- 8W
- 600 Lm
- 3000K / 4200K / 6400K



D I M M A B L E

EXPERT-10

001 021 0010

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 900 lm
- 3000K / 4200K / 6400K





FONIX-4

001 001 0004

GU5.3

- 250 lm
- 3000K / 4200K / 6400K
- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs



FONIX-6

001 001 0006

GU5.3

- 390 lm
- 3000K / 4200K / 6400K
- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs



D I M M A B L E

VISION-6

001 022 0006

GU10

- 390 lm
- 3000K / 4200K / 6400K
- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs



FONIX-8

001 001 0008

GU5.3

- 630 lm
- 3000K / 4200K / 6400K
- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs



PLUS-4

001 002 0004

GU10

- 250 lm
- 3000K / 4200K / 6400K
- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs



PLUS-6

001 002 0006

GU10

- 390 lm
- 3000K / 4200K / 6400K
- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs



PLUS-8

001 002 0008

GU10

- 630 lm
- 3000K / 4200K / 6400K
- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs




**ULTRA-4**

001 003 0004

HL 4360L




- 250 lm
- 3000K / 4200K / 6400K
- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs

**ULTRA-6**

001 003 0006

- 480 lm
- 3000K / 4200K / 6400K
- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs


**CRAFT-4**

001 004 0004

HL 4370L




- 250 lm
- 3000K / 4200K / 6400K
- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs

**CRAFT-6**

001 004 0006

- 480 lm
- 3000K / 4200K / 6400K
- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs


**ELITE-4**

001 005 0004

HL 4380L E14



- 250 lm
- 3000K / 4200K / 6400K
- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs


**ELITE-4**

001 005 0004

HL 4380L E27



- 250 lm
- 3000K / 4200K / 6400K
- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs


**ELITE-6**

001 005 0006

E14



- 480 lm
- 3000K / 4200K / 6400K
- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs


**ELITE-6**

001 005 0006

E27



- 480 lm
- 3000K / 4200K / 6400K
- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs





GLOBE-16

001 019 0016

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 1400 lm
- 3000K / 4200K / 6400K



GLOBE-20

001 020 0020

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 1650 lm
- 3000K / 4200K / 6400K



TORCH-20

001 016 0020


- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 1500 lm
- 3000K / 4200K / 6400K



TORCH-30

001 016 0030


- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 2000 lm
- 3000K / 4200K / 6400K



TORCH-40

001 016 0040

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 3150 lm
- 3000K / 4200K / 6400K




TORCH-50

001 016 0050

- 175-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 4000 lm
- 3000K / 4200K / 6400K



NEW





UFO-15

001 044 0015

NEW



- 160-250V / 50-60Hz
- Average Life: 25.000 Hrs
- 900 lm
- 4200K




REFLED-4

001 039 0004

NEW



- 220-240V / 50-60 Hz
- Average Life: 25.000 Hrs
- 4W
- 210 lm
- 4200K




REFLED-6

001 040 0006

NEW



- 220-240V / 50-60 Hz
- Average Life: 25.000 Hrs
- 6W
- 480 lm
- 4200K




REFLED-10

001 041 0010

NEW



- 220-240V / 50-60 Hz
- Average Life: 25.000 Hrs
- 10W
- 720 lm
- 4200K



REFLED-12

001 042 0012

NEW



- 220-240V / 50-60 Hz
- Average Life: 25.000 Hrs
- 12W
- 1000 lm
- 4200K






FILAMENT CANDLE-2

001 013 0002


- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 160 lm
- 2700K/ 4200K



FILAMENT CANDLE-4

001 013 0004


- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 320 lm
- 2700K/ 4200K



FILAMENT FLAME-2

001 014 0002


- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 160 lm
- 2700K/ 4200K



FILAMENT FLAME-4

001 014 0004


- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 320 lm
- 2700K/ 4200K



FILAMENT GLOBE-4

001 015 0004


- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 320 lm
- 2700K/ 4200K



FILAMENT GLOBE-6

001 015 0006


- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 400 lm
- 2700K/ 4200K



FILAMENT GLOBE-8

001 015 0008

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 500 lm
- 2700K/ 4200K





LED LAMP / LED TUBE / LED CAPSULE

RUSTIC VINTAGE - 4

001 029 0004

NEW

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 360 lm
- 2200K

4W

FLAMENT LED

STAR POWER GLASS

64 mm

146 mm

E27

RUSTIC VINTAGE - 6

001 029 0006

NEW

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 540 lm
- 2200K

6W

FLAMENT LED

STAR POWER GLASS

64 mm

146 mm

E27

RUSTIC GLOBE - 4

001 030 0004

NEW

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 360 lm
- 2200K

4W

FLAMENT LED

STAR POWER GLASS

95 mm

128 mm

E27

RUSTIC GLOBE - 6

001 030 0006

NEW

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 540 lm
- 2200K

6W

FLAMENT LED

STAR POWER GLASS

125 mm

172 mm

E27

RUSTIC STAR - 6

001 031 0006

NEW

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 540 lm
- 2200K

6W

FLAMENT LED

STAR POWER GLASS

143 mm

171 mm

E27

RUSTIC HEART - 6

001 032 0006

NEW

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 540 lm
- 2200K

6W

FLAMENT LED

STAR POWER GLASS

124 mm

164 mm

E27

RUSTIC TUBE - 6

001 033 0006

NEW

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 540 lm
- 2200K

6W

FLAMENT LED

STAR POWER GLASS

30 mm

95 mm

E27

RUSTIC TUBE - 8

001 033 0008

NEW

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 720 lm
- 2200K

8W

FLAMENT LED

STAR POWER GLASS

30 mm

205 mm

E27



RUSTIC DIAMOND - 4

001 034 0004

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 360 lm
- 2200K



NEW



4W

FILAMENT LED



RUSTIC DIAMOND - 6

001 034 0006

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 540 lm
- 2200K



NEW



6W

FILAMENT LED




RUSTIC PYRAMID - 6

001 035 0006

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 540 lm
- 2200K



NEW



6W

FILAMENT LED




RUSTIC MERIDIAN - 6

001 037 0006

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 540 lm
- 2200K



NEW



6W

FILAMENT LED




RUSTIC CRYSTAL - 4

001 036 0004

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 360 lm
- 2200K



NEW



4W

FILAMENT LED




RUSTIC CRYSTAL - 6

001 036 0006

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 540 lm
- 2200K



NEW



6W

FILAMENT LED



RUSTIC TWIST-4

001 038 0004

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 360 lm
- 2200K



NEW



4W

FILAMENT LED




RUSTIC TWIST - 6

001 038 0006

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 540 lm
- 2200K



NEW



6W

FILAMENT LED






DECO-3

001 023 0003


- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 300 lm
- 2700K / 4200K / 6400K



TERA-2

001 024 0002

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 200 lm
- 2700K / 4200K / 6400K




MINI

001 009 0002

HL 454L

- 12V DC
- Average Life: 25.000 Hrs
- 60 lm
- 2700K / 6400K



MICRO-2

001 010 0002

HL 455L

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 90 lm
- 2700K / 6400K




MICRO-3

001 010 0003

HL 456L

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 150 lm
- 2700K / 6400K



MIDI

001 012 0002

HL 459L

- 12V DC
- Average Life: 20.000 Hrs
- 110 lm
- 2700K / 6400K



MEGA-3

001 011 0003

HL 457L

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 180 lm
- 2700K / 6400K



MEGA-5

001 011 0005

HL 458L

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 230 lm
- 2700K / 6400K





D I M M A B L E

PIKO-2

001 007 0002
HL 450L

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 105 lm
- 2700K / 6400K

1.5W POWER LED

2700K 6400K

DIMMABLE LED CAPSULE

D I M M A B L E

PIKO-3

001 007 0003
HL 451L

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 210 lm
- 2700K / 6400K

3W POWER LED

2700K 6400K

DIMMABLE LED CAPSULE

D I M M A B L E

NANO-2

001 008 0002
HL 452L

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 105 lm
- 2700K / 6400K

1.5W POWER LED

2700K 6400K

DIMMABLE LED CAPSULE

D I M M A B L E

NANO-3

001 008 0003
HL 453L

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 210 lm
- 2700K / 6400K

3W POWER LED

2700K 6400K

DIMMABLE LED CAPSULE

HL 448L

- 220-240V / 50-60 Hz
- Average Life: 25000 Hrs
- 1W
- 80 Lm
- 2700K/6400K

1W SMD LED

2700K 6400K

GU5.3

HL 449L

- 220-240V / 50-60 Hz
- Average Life: 25000 Hrs
- 2.5W
- 80 Lm
- 6400K

2.5W SMD LED

2700K 6400K

GU5.3

HL 443L

- 220-240V / 50-60 Hz
- Average Life: 25000 Hrs
- 2.5W
- 250 Lm
- 4000K

2.5W SMD LED

2700K 6400K

E14

HL 444L

- 220-240V / 50-60 Hz
- Average Life: 25000 Hrs
- 4.8W
- 470 Lm
- 4000K

4.8W SMD LED

2700K 6400K

E27

GU10

- 220-240V / 50-60 Hz
- Average Life: 25000 Hrs
- 3W
- 250 Lm
- 6400K

3W COB LED

2700K 6400K

GU10

GU10

- 220-240V / 50-60 Hz
- Average Life: 25000 Hrs
- 5W
- 470 Lm
- 6400K

5W COB LED

2700K 6400K

GU10



001 017 0001

**YELLOW**

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 105 lm

RED

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 34 lm

GREEN

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 68 lm

BLUE

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 12 lm

WHITE

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 120 lm

**RAINBOW**

001 017 0003

**YELLOW**

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 315 lm

RED


- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 102 lm

GREEN

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 205 lm

BLUE

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 38 lm


**SPECTRA**

002 001 0009

SMD LED TUBE 60cm

LED TUBE-60**9W, 650 lm DAYLIGHT**

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 650 lm
- 6400K



002 001 0018

SMD LED TUBE 120cm

LED TUBE-120**18W, 1300 lm DAYLIGHT**

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 1300 lm
- 6400K



**HOROZ ELECTRIC**

Energy Saving Lamp

FULL-9

003 001 0009

HL 8809

**FULL SPIRAL T3****9W E14**

- 2700K - 420 lm
- 6400K - 500 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs

**FULL-9**

003 001 0009

HL 8809

**FULL SPIRAL T3****9W E27**

- 2700K - 420 lm
- 6400K - 400 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs

**HOROZ ELECTRIC**

Energy Saving Lamp

**FULL-12**

003 001 0012

HL 8811

**FULL SPIRAL T3****12W E14**

- 2700K - 550 lm
- 6400K - 540 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs

**FULL-12**

003 001 0012

HL 8811

**FULL SPIRAL T3****12W E27**

- 2700K - 550 lm
- 6400K - 540 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs

**FULL-15**

003 001 0015

HL 8815

**FULL SPIRAL T3****15W E14**

- 2700K - 770 lm
- 6400K - 750 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs

**FULL-15**

003 001 0015

HL 8815

**FULL SPIRAL T3****15W E27**

- 2700K - 770 lm
- 6400K - 750 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs

**FULL-20**

003 001 0020

HL 8820

**FULL SPIRAL T3****20W E27**

- 2700K - 1040 lm
- 6400K - 1020 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs

**FULL-26**

003 001 0026

HL 8825

**FULL SPIRAL T3****26W E27**

- 2700K - 1250 lm
- 6400K - 1240 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs

**HALF-9**

003 002 0009

HL 8609

**HALF SPIRAL T3****9W E14**

- 2700K - 410 lm
- 6400K - 400 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs

**HALF-9**

003 002 0009

HL 8609

**HALF SPIRAL T3****9W E27**

- 2700K - 410 lm
- 6400K - 400 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



HALF-12

003 002 0012

HL 8611



HALF SPIRAL T3

12W E14

- 2700K - 550 lm
- 6400K - 540 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



(Ø) 40 mm
(H) 125 mm



HALF-12

003 002 0012

HL 8611



HALF SPIRAL T3

12W E27

- 2700K - 550 lm
- 6400K - 540 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



(Ø) 40mm
(H) 125mm



HALF-15

003 002 0015

HL 8615



HALF SPIRAL T3

15W E27

- 2700K - 770 lm
- 6400K - 750 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



(Ø) 40mm
(H) 135mm



HALF-15

003 002 0015

HL 8615



HALF SPIRAL T3

15W E14

- 2700K - 770 lm
- 6400K - 750 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



(Ø) 40mm
(H) 135mm



HALF-20

003 002 0020

HL 8620



HALF SPIRAL T3

20W E27

- 2700K - 1040 lm
- 6400K - 1020 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



(Ø) 50mm
(H) 134mm



HALF-26

003 002 0026

HL 8625



HALF SPIRAL T3

26W E27

- 2700K - 1380 lm
- 6400K - 1370 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



(Ø) 50mm
(H) 148mm



THREE-U/15

003 003 0015

HL 8315



3U T3

15W E27

- 2700K - 760 lm
- 6400K - 740 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



(Ø) 40mm
(H) 140mm



THREE-U/18

003 003 0018

HL 8320



3U T3

18W E27

- 2700K - 910 lm
- 6400K - 890 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



(H) 151 mm



THREE-U/23

003 003 0023

HL 8325



3U T3

23W E27

- 2700K - 1090 lm
- 6400K - 1090 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



(Ø) 181 mm



FULL-35

003 001 0035

HL 8835



FULL SPIRAL T4

35W E27

- 6400K - 1350 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



(Ø) 174mm
(H) 174mm





FULL-45

003 001 0045


HL 8845



FULL SPIRAL T4

45W E27

- 6400K - 1750 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



45W



FULL-65

003 001 0065


HL 8865



FULL SPIRAL T5

65W E27

- 6400K - 2500 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



65W



FULL-85

003 001 0085

HL 8885



FULL SPIRAL T5

85W E27

- 6400K - 3500 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



85W

FULL-105

003 001 0105

HL 88105



FULL SPIRAL T6

105W E27

- 6400K - 4400 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



105W



HL 8105



5W



CANDLE

5W E14

- 6400K
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



HL 8111



11W



R63

11W E27

- 6400K - 192 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



HL 8809




9W



Nano T2.2 FL SPRL

9W GU10

- 6400K - 390 lm
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



HL 8720



20W



ESL

20W R7S

- 6400K - 1200 lm
- 220-240V / 50-60Hz
- Average Life: 8.000 Hrs



**HOROZ ELECTRIC**

Fluorescent Tube / Halogen Lamp

**HOROZ ELECTRIC**

Fluorescent Tube



TUBE-5

- 004 001 0006 **6W, 280-310 lm**
- 004 001 0008 **8W, 400-430 lm**
- 004 001 0013 **13W, 1045-1140 lm**
- 004 001 0021 **21W, 1660-1850 lm**
- 004 001 0028 **28W, 2350-2470 lm**

T5 DAYLIGHT

Average Life: 8.000 Hrs




TUBE-8

- 004 003 0010 **10W, 280-310 lm**
- 004 003 0015 **15W, 560-630 lm**
- 004 003 0018 **18W, 960-1150 lm**
- 004 003 0036 **36W, 2400-2760 lm**
- 004 003 0058 **58W, 4080-5000 lm**

T8 DAYLIGHT

Average Life: 8.000 Hrs

**HOROZ ELECTRIC**

Halogen Lamp



GU10 CLOSED

**50W, 340 lm**

- 220-240V / 50-60Hz
- Average Life: 2.000 Hrs



MR16 CLOSED

**20W CLOSED, 200 lm****50W CLOSED, 600 lm**

- 12V
- Average Life: 2.000 Hrs



JCDR CLOSED

**35W CLOSED, 320 lm****50W CLOSED, 550 lm**

- 220-240V / 50-60Hz
- Average Life: 2.000 Hrs



JCDR OPEN

**50W OPEN, 650 lm**

- 220-240V / 50-60Hz
- Average Life: 2.000 Hrs





JC G4



20W, 250 lm

- 12V
- Average Life: 2.000 Hrs



G9 FROST



25W, 220 lm

40W, 500 lm

- 220-240V / 50-60Hz
- Average Life: 2.000 Hrs




G9 CLEAR



25W, 270 lm

40W, 420 lm

- 220-240V / 50-60Hz
- Average Life: 2.000 Hrs




G9 WHITE



25W, 100 lm

40W, 220 lm

- 220-240V / 50-60Hz
- Average Life: 2.000 Hrs




JC G4 WHITE



20W, 120 lm

- 12V
- Average Life: 2.000 Hrs



HALOGEN LAMP


HALOGEN LAMP



78mm

150W, 1600 lm

- 220-240V / 50-60Hz
- Average Life: 2.000 Hrs



HALOGEN LAMP



118mm

300W, 4000 lm

500W, 7500 lm

- 220-240V / 50-60Hz
- Average Life: 2.000 Hrs



HALOGEN LAMP



189mm

1000W, 18000 lm

- 220-240V / 50-60Hz
- Average Life: 2.000 Hrs



HALOGEN LAMP



254mm


2000W, 41000 lm

- 220-240V / 50-60Hz
- Average Life: 2.000 Hrs



**FLAME CLEAR-40**


006 001 0040 40W

FLAME CLEAR-60006 001 0060 60W
HL 420

- CANDLE BULB
- WITH TAIL
- 40W, 280 lm
- 60W, 480 lm
- CLEAR
- 220-240V / 50-60Hz
- Average Life: 1000 Hrs

FLAME FROSTED-40

006 002 0040 40W

FLAME FROSTED-60006 002 0060 60W
HL 421

- CANDLE BULB
- WITH TAIL
- 40W, 240 lm
- 60W, 400 lm
- FROSTED
- 220-240V / 50-60Hz
- Average Life: 1000 Hrs

**Incandescent Lamp
Reflector Lamp****CANDLE FROSTED-40**


006 004 0040 40W

CANDLE FROSTED-60006 004 0060 60W
HL 424

- CANDLE BULB
- 40W, 240 lm
- 60W, 400 lm
- FROSTED
- 220-240V / 50-60Hz
- Average Life: 1000 Hrs

CANDLE SOFT-40

006 005 0040 40W

CANDLE SOFT-60006 005 0060 60W
HL 425

- CANDLE BULB
- 40W, 240 lm
- 60W, 400 lm
- SOFT
- 220-240V / 50-60Hz
- Average Life: 1000 Hrs

SCREW FROSTED-40


006 006 0040 40W

SCREW FROSTED-60006 006 0060 60W
HL 426

- SCREW CANDLE BULB
- 40W, 240 lm
- 60W, 400 lm
- FROSTED
- 220-240V / 50-60Hz
- Average Life: 1000 Hrs

SCREW CLEAR-40


006 007 0040 40W

SCREW CLEAR-60006 007 0060 60W
HL 427

- SCREW CANDLE BULB
- 40W, 280 lm
- 60W, 480 lm
- CLEAR
- 220-240V / 50-60Hz
- Average Life: 1000 Hrs

CANDLE FROSTED-40


006 008 0040 40W

CANDLE FROSTED-60006 008 0060 60W
HL 428

- CANDLE BULB
- 40W, 240 lm
- 60W, 400 lm
- FROSTED
- 220-240V / 50-60Hz
- Average Life: 1000 Hrs

CANDLE SOFT-40

006 009 0040 40W

CANDLE SOFT-60006 009 0060 60W
HL 429

- CANDLE BULB
- 40W, 240 lm
- 60W, 400 lm
- SOFT
- 220-240V / 50-60Hz
- Average Life: 1000 Hrs

**GLOBE SOFT-40**

006 010 0040 40W

**GLOBE BULB**

40W, 240 lm


60W, 400 lm

SOFT

- 220-240V / 50-60Hz
- Average Life: 1000 Hrs



42 mm



75 mm

GLOBE SOFT-60

006 010 0060 60W

HL 430

GLOBE SOFT-40

006 012 0040 40W

**GLOBE BULB**

40W, 240 lm


60W, 400 lm

SOFT

- 220-240V / 50-60Hz
- Average Life: 1000 Hrs



42 mm



75 mm

GLOBE SOFT-60

006 012 0060 60W

HL 432

GLOBE FROSTED-40

006 011 0040 40W

**GLOBE BULB**

40W, 240 lm


60W, 400 lm

FROSTED

- 220-240V / 50-60Hz
- Average Life: 1000 Hrs



42 mm



75 mm

GLOBE FROSTED-60

006 011 0060 60W

HL 431

GLOBE FROSTED-40

006 013 0040 40W

**GLOBE BULB**

40W, 240 lm


60W, 400 lm

FROSTED

- 220-240V / 50-60Hz
- Average Life: 1000 Hrs



42 mm



75 mm

GLOBE FROSTED-60

006 013 0060 60W

HL 433

MUSHROOM FROSTED

006 014 0060 60W

HL 434

**MUSHROOM BULB**

60W, 400 lm

FROSTED

- 220-240V / 50-60Hz
- Average Life: 1000 Hrs



80 mm

45 mm

MUSHROOM SOFT

006 015 0060 60W

HL 435

**MUSHROOM BULB**

60W, 400 lm

SOFT

- 220-240V / 50-60Hz
- Average Life: 1000 Hrs



80 mm

45 mm

R39

007 001 0030 30W

R39



30W, 150 lm

FROSTED

- 220-240V / 50-60Hz
- Average Life: 1000 Hrs



65 mm

38 mm

R50-40

007 002 0040 40W



40W, 280 lm


60W, 460 lm

FROSTED

- 220-240V / 50-60Hz
- Average Life: 1000 Hrs



50 mm



62 mm

R50-60

007 002 0060 60W

R50

R63-60

007 003 0060 60W


R63



60W, 400 lm

FROSTED

- 220-240V / 50-60Hz
- Average Life: 1000 Hrs



63 mm

95 mm

R80-60

007 004 0060 60W



60W, 380 lm

75W, 580 lm


100W, 900 lm

FROSTED

- 220-240V / 50-60Hz
- Average Life: 1000 Hrs



80 mm



106 mm

R80-75

007 004 0075 75W

R80-100

007 004 0100 100W R80



KRIPTON-125

008 001 0125

HL 400



HIGH PRESSURE


MERCURY LAMP

- 125W
- 4990 lm
- 5500K
- With Ballast
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs

PLANET-125

008 002 0125

HL 401



HIGH PRESSURE

MERCURY LAMP

- 125W
- 2560 lm
- 4400K
- Without Ballast
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



Mercury Lamp Metal Halide Lamp



PLANET-160

008 002 0160

HL 402



HIGH PRESSURE


MERCURY LAMP

- 160W
- 2560 lm
- 4400K
- Without Ballast
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs

KRIPTON-250

008 001 0250

HL 403



HIGH PRESSURE


MERCURY LAMP

- 250W
- 11025 lm
- 5500K
- With Ballast
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs

PLANET-250

008 002 0250

HL 404



HIGH PRESSURE


MERCURY LAMP

- 250W
- 4900 lm
- 4400K
- Without Ballast
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs

KRIPTON-400

008 001 0400

HL 405



HIGH PRESSURE

MERCURY LAMP

- 400W
- 21000 lm
- 5500K
- With Ballast
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



MERCURY LAMP / METAL HALIDE LAMP



MERKÜR

009 001 0150

HL 406



METAL HALIDE LAMP

- 150W
- 11000 lm
- 4000K
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



NEXUS-150

009 002 0150

HL 407



METAL HALIDE LAMP

- 150W
- 16000 lm
- 4000K
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



NEXUS-250


009 002 0250

HL 408



METAL HALIDE LAMP

- 250W
- 21000 lm
- 4000K
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



NEXUS-400

009 002 0400

HL 409



METAL HALIDE LAMP

- 400W
- WHITE, 35.000-38.000Lm
- BLUE, 8.000-10.000Lm
- GREEN, 28.000-31.000Lm
- RED, 20.000-23.000Lm
- 220-240V / 50-60Hz
- Average Life: 10.000 Hrs



URANUS-70


009 003 0070

HL 410



METAL HALIDE LAMP

- 70W
- 5500 lm
- 4000K
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs



URANUS-150


009 003 0150

HL 411



METAL HALIDE LAMP

- 150W
- 17000 lm
- 4000K
- 220-240V / 50-60Hz
- Average Life: 6.000 Hrs





Halogen Downlight



PAPATYA

015 016 0050

HL 759



- CHROME
- ANTIQUE RED COPPER
- MAT CHROME
- TITANIUM BLACK/GOLDEN
- GOLDEN
- PEARL SILVER/GOLDEN
- ANTIQUE GREEN



220-240V / 50-60Hz
Max. 50W

Min h: 55



BEGONYA

015 012 0050

HL 779




- CHROME
- ANTIQUE RED COPPER
- MAT CHROME
- TITANIUM BLACK/GOLDEN
- GOLDEN
- PEARL SILVER/GOLDEN
- ANTIQUE GREEN



220-240V / 50-60Hz
Max. 50W

Min h: 55



LEYLAK

015 013 0050

HL 797




- CHROME
- ANTIQUE RED COPPER
- MAT CHROME
- TITANIUM BLACK/GOLDEN
- GOLDEN
- PEARL SILVER/GOLDEN
- ANTIQUE GREEN



220-240V / 50-60Hz
Max. 50W

Min h: 55



ZAMBAK

015 014 0050

HL 798




- CHROME
- ANTIQUE RED COPPER
- MAT CHROME
- TITANIUM BLACK/GOLDEN
- GOLDEN
- PEARL SILVER/GOLDEN
- ANTIQUE GREEN



220-240V / 50-60Hz
Max. 50W

Min h: 55



YONCA

015 015 0050

HL 799




- CHROME
- ANTIQUE RED COPPER
- MAT CHROME
- TITANIUM BLACK/GOLDEN
- GOLDEN
- PEARL SILVER/GOLDEN
- ANTIQUE GREEN



220-240V / 50-60Hz
Max. 50W

Min h: 55





ORKIDE

015 007 0050

HL 750





CHROME GOLDEN
MAT CHROME WHITE

MR16



• 220-240V / 50-60Hz
• Max. 50W



MENEKŞE

015 008 0050

HL 752



CHROME RED COPPER
MAT CHROME PEARL CHROME
GOLDEN WHITE

MR16



• 220-240V / 50-60Hz
• Max. 50W

70



AÇELYA

015 009 0050



HL 753



CHROME GOLDEN
MAT CHROME WHITE

• 220-240V / 50-60Hz
• Max. 50W

MR16



ORTANCA

015 010 0050


HL 755



CHROME GOLDEN
MAT CHROME

• 220-240V / 50-60Hz
• Max. 50W

MR16



LALE

015 011 0050

HL 756



CHROME

MAT CHROME

• 220-240V / 50-60Hz
• Max. 50W

MR16



**NİLÜFER**

015 001 0020


HL 800



CLEAR BROWN BLUE

YELLOW PURPLE

- 220-240V / 50-60Hz
- Max. 20W

**NERGIS**

015 002 0020


HL 801



CLEAR BROWN BLUE

YELLOW PURPLE

- 220-240V / 50-60Hz
- Max. 20W

**GONCA**

015 003 0020


HL 802



CLEAR BROWN BLUE

YELLOW PURPLE

- 220-240V / 50-60Hz
- Max. 20W

**FULYA**

015 004 0020


HL 803



CLEAR BROWN BLUE

YELLOW PURPLE

- 220-240V / 50-60Hz
- Max. 20W

**YASEMİN**

015 005 0020



HL 804



CLEAR BROWN BLUE

YELLOW PURPLE

- 220-240V / 50-60Hz
- Max. 20W



BELLA

016 042 0003

NEW

CHROME
MAT CHROME
WHITE
BLACK
ROSE

- AC 85-265V / 50-60Hz
- 3W, 125 lm
- 4200K
- Average Life: 30.000 Hrs

47 mm
32 mm
32 mm

Ø35

3W COB LED

FIONA

016 028 0001

MAT CHROME
CHROME

- 1W, 70 lm
- AC 220-240V / 50-60Hz
- 2700K / 6400K
- Average Life: 30.000 Hrs

51 mm
30 mm

1W POWER LED

HOROZ ELECTRIC LED Downlight

ERC

RoHS

LED DOWNLIGHT

SILVIA

016 039 0001

WHITE
MAT CHROME

- AC 85-265V / 50-60Hz
- 1W, 70 lm
- 4200K
- Average Life: 30.000 Hrs

Ø41 mm
36 mm

1W POWER LED

Ø32

LAURA

016 038 0001

WHITE
MAT CHROME

- AC 85-265V / 50-60Hz
- 1W, 70 lm
- 4200K
- Average Life: 30.000 Hrs

Ø40 mm
36 mm

1W POWER LED

Ø32

BIANCA

016 036 0003

WHITE
MAT CHROME

- AC 85-265V / 50-60Hz
- 3W, 210 lm
- 4200K
- Average Life: 30.000 Hrs

Ø48.5 mm
28.5 mm

3W COB LED

Ø35

MONICA

016 003 0001

CHROME
MAT CHROME

- 220-240V / 50-60Hz
- 4200K
- 1W, 80 lm
- Average Life: 30.000 Hrs

HL 665L

30 mm
20 mm

1W POWER LED




NADIA

016 027 0001

HL 661L

MAT CHROME

- 1W, 70 lm
- AC 220-240V / 50-60Hz
- 4200K
- Average Life: 30.000 Hrs



MIRANDA

016 004 0003

HL 666L

CHROME

MAT CHROME

- 220-240V / 50-60Hz
- 4200K
- 1x3W, 260 lm
- Average Life: 30.000 Hrs




RITA

016 037 0003

WHITE

- AC 85-265V / 50-60Hz
- 3W, 210 lm
- 4200K
- Average Life: 30.000 Hrs



NATALIA

016 001 0001


HL 815L

MAT CHROME

- 220-240V / 50-60Hz
- 1W
- Average Life: 30.000 Hrs



- WHITE: 6400K, 60 lm
- RED: 45 lm
- GREEN: 55 lm
- BLUE: 45 lm




LISA

016 031 0003

WHITE

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 3W, 125 lm
- 4200K




JULIA

016 032 0003

WHITE

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 3W, 125 lm
- 4200K



LUNA


016 041 0003

WHITE

- AC 220-220V / 50-60Hz
- 3W, 210 lm
- 4200K
- Average Life: 20.000 Hrs
- Recessed+Surface Mounting Available



NEW




ANGELA

016 002 0002

HL 761L

MAT CHROME

- 220-240V / 50-60Hz
- 2W / 100 lm
- 4200K
- Average Life: 30.000 Hrs






VALERIA-5

016 040 0005

WHITE

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 5W, 400 lm
- 4200K



GABRIEL

016 029 0006

WHITE

- 100-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 6W, 410 lm
- 4200K




JESSICA

016 030 0006

WHITE

- 100-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 6W, 410 lm
- 4200K




VALERIA-7

016 040 0007

WHITE

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 7W, 560 lm
- 4200K



SARA

016 005 0003

MAT CHROME

WHITE

- 220-240V / 50-60Hz
- 2700K, 200 lm
- 6500K, 220 lm
- 3W
- Average Life: 40.000 Hrs



85 mm




VALERIA-9

016 040 0009

WHITE

- 85-265V / 50-60Hz
- Average Life: 30.000 Hrs
- 9W, 720 lm
- 4200K



DIANA

016 006 0003


MAT CHROME

WHITE

- 220-240V / 50-60Hz
- 2700K, 200 lm
- 6500K, 220 lm
- 3W
- Average Life: 40.000 Hrs



62 mm





VICTORIA-3

016 007 0003



HL 678L



MAT CHROME

WHITE

- 3W 208 lm/230 lm
- AC 220-240V / 50-60Hz
- 2700K / 6500K
- Average Life: 40.000 Hrs



VICTORIA-5

016 007 0005



HL 679L



MAT CHROME

WHITE

- 5W 217 lm/354 lm
- AC 220-240V / 50-60Hz
- 2700K / 6500K
- Average Life: 40.000 Hrs



MELISA-3

016 008 0003



HL 698L



MAT CHROME

WHITE

- 3W 208 lm/230 lm
- AC 220-240V / 50-60Hz
- 2700K / 6500K
- Average Life: 40.000 Hrs



MELISA-5

016 008 0005

HL 699L



MAT CHROME

WHITE

- 5W 217 lm/354 lm
- AC 220-240V / 50-60Hz
- 2700K / 6500K
- Average Life: 40.000 Hrs



LILYA-3

016 009 0003



HL 698LE



MAT CHROME

WHITE

- 3W, 222 lm
- AC 220-240V / 50-60Hz
- 2700K / 4200K / 6400K
- Average Life: 30.000 Hrs



LILYA-5

016 009 0005



HL 699LE



MAT CHROME

WHITE

- 5W, 335 lm
- AC 220-240V / 50-60Hz
- 2700K / 4200K / 6400K
- Average Life: 30.000 Hrs



SONIA-5

016 035 0005

HL 699LE



WHITE

- 100-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 5W, 350 lm
- 6400K



LED DOWNLIGHT



ELENA-1


016 010 0001

HL 670L



MAT CHROME

- AC 220-240V / 50-60Hz
- 1W, 45 lm
- 2700K / 6400K
- Average Life: 25.000 Hrs



VERA-1


016 011 0001

HL 671L



MAT CHROME

- AC 220-240V / 50-60Hz
- 1W, 45 lm
- 2700K / 6400K
- Average Life: 25.000 Hrs



ELENA-3


016 010 0003

HL 672L



MAT CHROME

- AC 220-240V / 50-60Hz
- 3W, 135 lm
- 2700K / 6400K
- Average Life: 25.000 Hrs



VERA-3


016 011 0003

HL 673L



MAT CHROME

- AC 220-240V / 50-60Hz
- 3W, 135 lm
- 2700K / 6400K
- Average Life: 25.000 Hrs



ELENA-6


016 010 0006

HL 674L



MAT CHROME

- AC 220-240V / 50-60Hz
- 6W, 270 lm
- 2700K / 6400K
- Average Life: 25.000 Hrs



VERA-6


016 011 0006

HL 675L



MAT CHROME

- AC 220-240V / 50-60Hz
- 6W, 270 lm
- 2700K / 6400K
- Average Life: 25.000 Hrs



VERA-12


016 011 0012

HL 676L



MAT CHROME

- AC 220-240V / 50-60Hz
- 12W, 450 lm
- 2700K / 6400K
- Average Life: 25.000 Hrs



VERA-18

016 011 0018

HL 677L



MAT CHROME

- AC 220-240V / 50-60Hz
- 18W, 720 lm
- 2700K / 6400K
- Average Life: 25.000 Hrs





MARIA-6



016 015 0006

HL 684LG



WHITE

- AC 220-240V / 50-60Hz
- 6W, 480 lm
- 3000K / 4200K / 6400K
- Average Life: 30.000 Hrs



CLARA-6


016 016 0006

HL 687LG



WHITE

- AC 220-240V / 50-60Hz
- 6W, 480 lm
- 3000K / 4200K / 6400K
- Average Life: 30.000 Hrs



MARIA-12



016 015 0012

HL 685LG



WHITE

- AC 220-240V / 50-60Hz
- 12W, 744 lm
- 3000K / 4200K / 6400K
- Average Life: 30.000 Hrs



CLARA-12



016 016 0012

HL 688LG



WHITE

- AC 220-240V / 50-60Hz
- 12W, 744 lm
- 3000K / 4200K / 6400K
- Average Life: 30.000 Hrs



MARIA-15



016 015 0015

HL 686LG



WHITE

- AC 220-240V / 50-60Hz
- 15W, 1150 lm
- 3000K / 4200K / 6400K
- Average Life: 30.000 Hrs



CLARA-15



016 016 0015

HL 689LG



WHITE

- AC 220-240V / 50-60Hz
- 15W, 1150 lm
- 3000K / 4200K / 6400K
- Average Life: 30.000 Hrs





AMANDA-6

016 017 0006


HL 6754L



WHITE

MAT CHROME

- AC 220-240V / 50-60Hz
- 6W, 480 lm
- 3000K / 6400K
- Average Life: 30.000 Hrs



AMANDA-10

016 017 0010

HL 6755L



WHITE

MAT CHROME

- AC 220-240V / 50-60Hz
- 10W, 550 lm
- 3000K / 6400K
- Average Life: 30.000 Hrs



016 017 0015

AMANDA-15


HL 6756L



WHITE

MAT CHROME

- AC 220-240V / 50-60Hz
- 15W, 650 lm
- 3000K / 6400K
- Average Life: 30.000 Hrs



016 017 0025

AMANDA-25


HL 6758L



WHITE

MAT CHROME


- AC 220-240V / 50-60Hz
- 25W, 1312 lm
- 3000K / 6400K
- Average Life: 30.000 Hrs



016 024 0032

JASMIN

HL 637L



WHITE

SILVER


- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 4x8W, 2.400 lm
- 6400K



HL 667L

SILVER


- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 7x1W, 76Lm
- Red+Green+Blue+Yellow



HL 669L

SILVER

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 7x1W, 76Lm
- Red+Green+Blue+Yellow





016 019 0008


HELEN-8

WHITE

MAT CHROME

HL 695L 3 INCH

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 8W, 354 lm
- 4200K




016 020 0008

GALINA-8

WHITE

HL 692L

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 8W, 444 lm
- 6500K



016 019 0010


HELEN-10

WHITE

MAT CHROME

HL 696L 4 INCH

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 10W, 742 lm
- 4200K




016 020 0010

GALINA-10

WHITE

HL 693L

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 10W, 570 lm
- 6500K



016 019 0020



HELEN-20

WHITE

MAT CHROME

HL 697L 6 INCH

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 20W, 1315 lm
- 4200K




016 020 0020

GALINA-20

WHITE

HL 694L

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 20W, 1165 lm
- 6500K



016 019 0030


HELEN-30

WHITE

MAT CHROME

HL 6978L 8 INCH

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 30W, 1880 lm
- 4200K




016 018 0030

LILY

WHITE

HL 691L

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 30W, 1447 lm
- 6500K



LED DOWNLIGHT




016 021 0005

ADRIANA-5

WHITE

HL 6701L

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 5W
- 368 lm
- 2700K / 6400K




016 022 0010

VERONICA-10

WHITE

HL 6711L

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 10W
- 539 lm
- 2700K / 6400K




016 021 0010

ADRIANA-10

WHITE

HL 6702L

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 2x5W
- 2x368 lm
- 2700K / 6400K




016 022 0020

VERONICA-20

WHITE

HL 6712L

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 2x10W
- 2x539 lm
- 2700K / 6400K



016 021 0015

ADRIANA-15

WHITE

HL 6703L

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 3x5W
- 3x368 lm
- 2700K / 6400K



016 022 0030

VERONICA-30

WHITE

HL 6713L


- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 3x10W
- 3x539 lm
- 2700K / 6400K



016 023 0008


SABRINA-8

HL 6721L



WHITE


- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 8W
- 371lm
- 2700K / 6400K



016 023 0016


SABRINA-16

HL 6722L



WHITE


- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 2x8W
- 2x371lm
- 2700K / 6400K



016 023 0024

SABRINA-24

HL 6723L



WHITE


- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 3x8W
- 3x371lm
- 2700K / 6400K



SABRINA-32


016 023 0032

HL 6724L



WHITE

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 4x8W
- 4x371lm
- 2700K / 6400K




LED DOWNLIGHT



SANDRA-5

016 043 0005



WHITE

BLACK


- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 5W, 350 lm
- 4200K



LED DOWNLIGHT

SANDRA-10

016 043 0010



WHITE


BLACK

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 10W, 700 lm
- 4200K



SANDRA-15

016 043 0015



WHITE

BLACK

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 15W, 1050 lm
- 4200K





016 025 0012
HL 640L

CAROLINE-12

WHITE

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 12W, 840 lm
- 3000K / 4200K / 6000K




016 026 0012
HL 641L

ARINA-12

WHITE

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 12W, 840 lm
- 3000K / 4200K / 6000K




016 025 0018

CAROLINE-18

WHITE

- AC 220-240V / 50-60Hz
- 18W, 1300 lm
- Average Life: 30.000 Hrs
- 3000K / 4200K / 6000K




016 026 0018

ARINA-18

WHITE

- AC 220-240V / 50-60Hz
- 18W, 1300 lm
- Average Life: 30.000 Hrs
- 3000K / 4200K / 6000K



016 025 0028
HL 642L

CAROLINE-28

WHITE

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 28W, 1960 lm
- 3000K / 4200K / 6000K



016 026 0028
HL 643L

ARINA-28

WHITE

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 28W, 1960 lm
- 3000K / 4200K / 6000K




016 025 0032

CAROLINE-32

WHITE

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 32W, 2240 lm
- 3000K / 4200K / 6000K





016 026 0032

ARINA-32

WHITE

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 32W, 2240 lm
- 3000K / 4200K / 6000K






016 025 0040

CAROLINE-40

WHITE

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 40W, 2800 lm
- 3000K / 4200K / 6000K



016 026 0040

ARINA-40

WHITE

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 40W, 2800 lm
- 3000K / 4200K / 6000K



016 025 0048

CAROLINE-48

WHITE

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 48W, 3360 lm
- 3000K / 4200K / 6000K




016 026 0048

ARINA-48

WHITE

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 48W, 3360 lm
- 3000K / 4200K / 6000K




016 034 0024

LINDA-24

WHITE

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 24W, 1680 lm
- 3000K / 4200K / 6000K




016 034 0036

LINDA-36

WHITE

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 36W, 2520 lm
- 3000K / 4200K / 6000K





LED Panel




056 001 0045

STAR-45

SILVER

- 220-240V / 50-60Hz
- 45W, 3750 lm
- 3000K / 4200K / 6400K
- Average Life: 40.000 Hrs




GALAKSİ-40

056 002 0040

SILVER

- 220-240V / 50-60Hz
- 40W, 2600 lm
- 3000K / 4200K / 6400K
- Average Life: 25.000 Hrs




TURKUAZ

056 004 0032

WHITE

- 220-240V / 50-60Hz
- 32W, 2500 lm / 2700 lm
- 2700K / 6400K
- Average Life: 25.000 Hrs



LED PANEL





056 003 0003

SLIM-3

WHITE

- 220-240V / 50-60Hz
- 3W
- 110 lm
- 2700K/4200K/6400K
- Average Life: 50.000 Hrs



056 003 0006

SLIM-6

WHITE

- 220-240V / 50-60Hz
- 6W
- 270 lm
- 2700K/4200K/6400K
- Average Life: 50.000 Hrs



056 003 0009

SLIM-9

WHITE

- 220-240V / 50-60Hz
- 9W
- 540 lm
- 2700K/4200K/6400K
- Average Life: 50.000 Hrs



056 003 0012

SLIM-12

WHITE


- 220-240V / 50-60Hz
- 12W
- 660 lm
- 2700K/4200K/6400K
- Average Life: 50.000 Hrs





SLIM-15

056 003 0015



WHITE


- 220-240V / 50-60Hz
- 15W
- 900 lm
- 2700K/4200K/6400K
- Average Life: 50.000 Hrs



SLIM-18

056 003 0018

HL 978L



WHITE


- 220-240V / 50-60Hz
- 18W
- 1170 lm
- 2700K/4200K/6400K
- Average Life: 50.000 Hrs



SLIM-24

056 003 0024

HL 979L



WHITE

- 220-240V / 50-60Hz
- 24W
- 1632 lm
- 2700K/4200K/6400K
- Average Life: 50.000 Hrs







056 005 0003

SLIM / Sq-3

WHITE

- 220-240V / 50-60Hz
- 3W
- 110 lm
- 3000K / 4200K / 6000K
- Average Life: 50.000 Hrs




056 005 0006

SLIM / Sq-6

WHITE

- 220-240V / 50-60Hz
- 6W
- 270 lm
- 3000K / 4200K / 6000K
- Average Life: 50.000 Hrs




056 005 0009

SLIM / Sq-9

WHITE

- 220-240V / 50-60Hz
- 9W
- 540 lm
- 3000K / 4200K / 6000K
- Average Life: 50.000 Hrs




056 005 0012

SLIM / Sq-12

WHITE


- 220-240V / 50-60Hz
- 12W
- 660 lm
- 3000K / 4200K / 6000K
- Average Life: 50.000 Hrs





SLIM/ Sq-15


056 005 0015



170


WHITE

- 220-240V / 50-60Hz
- 15W
- 900 lm
- 3000K / 4200K / 6000K
- Average Life: 50.000 Hrs



SLIM/ Sq-18


056 005 0018



205


WHITE

- 220-240V / 50-60Hz
- 18W
- 1170 lm
- 3000K / 4200K / 6000K
- Average Life: 50.000 Hrs



SLIM / Sq-24


056 005 0024



285

WHITE

- 220-240V / 50-60Hz
- 24W
- 1632 lm
- 3000K / 4200K / 6000K
- Average Life: 50.000 Hrs





LED Track Light
Lighting Track
Track Connector
Recessed Monopoint



Z O O M A B L E

PORTO

018 013 0007


WHITE

BLACK

SILVER

NEW

- 100-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 7W
- 525 lm
- 4200K



Z O O M A B L E

OSLO

018 012 0010

WHITE

BLACK

SILVER

- 100-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 10W
- 900 lm
- 4200K



NEW



LONDON

018 011 0035



WHITE

BLACK

SILVER

NEW

- 100-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 35W
- 2625 lm
- 4200K





ROMA

018 002 0023

HL 822L


3 INCH

WHITE

BLACK

SILVER

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 23W
- 1315 lm
- 4200K



ZURIH-23

018 001 0023

HL 821L


3 INCH

WHITE

BLACK

SILVER

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 23W
- 1511 lm
- 4200K



ZURIH-40

018 001 0040

HL 834L

3 INCH

WHITE

BLACK

SILVER

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 40W
- 2643 lm
- 4200K




**PRAG-7**

018 003 0007

HL 823L

3 INCH**WHITE****BLACK****SILVER**

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 7W
- 405 lm
- 4200K


**PRAG-12**

018 003 0012

HL 824L

4.2 INCH**WHITE****BLACK****SILVER**

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 12W
- 852 lm
- 4200K


**TORINO-23**

018 004 0023

HL 826L

3 INCH**WHITE****BLACK****SILVER**

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 23W
- 1560 lm
- 4200K


**TORINO-40**

018 004 0040

HL 827L

3 INCH**WHITE****BLACK****SILVER**

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 40W
- 2337 lm
- 4200K




**MADRID-23**

018 005 0023

HL 828L

3 INCH**WHITE****BLACK****SILVER**

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 23W
- 1779 lm
- 4200K

**MADRID-40**

018 005 0040

HL 829L

3 INCH**WHITE****BLACK****SILVER**

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 40W
- 2988 lm
- 4200K


**VENEDIK-23**

018 006 0023

HL 830L

2 INCH**WHITE****BLACK****SILVER**

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 23W
- 1947 lm
- 4200K


**VENEDIK-33**

018 006 0033

HL 831L

3 INCH**WHITE****BLACK****SILVER**

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 33W
- 2142 lm
- 4200K





HOROZ ELECTRIC

LED Track Light / Lighting Track / Track Connector / Recessed Monopoint



PARIS-23

018 007 0023

HL 832L

2 INCH

WHITE

BLACK

SILVER

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 23W
- 1550 lm
- 4200K



PARIS-33

018 007 0033

HL 833L

3 INCH

WHITE

BLACK

SILVER

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 33W
- 2256 lm
- 4200K



LED TRACK LIGHT / LIGHTING TRACK / TRACK CONNECTOR / RECESSED MONOPOINT


**MILANO-5**

018 008 0005

HL 835L

1.5 INCH**WHITE****BLACK****SILVER**

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 5W
- 334 lm
- 4200K


**MILANO-8**

018 008 0008

HL 836L

1.7 INCH**WHITE****BLACK****SILVER**

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 8W
- 600 lm
- 4200K


**MILANO-13**

018 008 0013

HL 837L

2.3 INCH**WHITE****BLACK****SILVER**

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 13W
- 987 lm
- 4200K

**ZAGREB**

018 009 0035

3 INCH**WHITE****BLACK****SILVER**

- 100-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 35W
- 2078 lm
- 4200K





HOROZ ELECTRIC

LED Track Light / Lighting Track / Track Connector / Recessed Monopoint

TRACK CONNECTOR

Straight Connector



096 001 0001

- Single Phase
- 220-240V / 50-60Hz AC
- Max. 16A

L Corner Connector



096 002 0002

WHITE

BLACK

SILVER

RECESSED MONOPOINT

098 001 0001



WHITE

BLACK

SILVER

- 220-240V / 50-60Hz
- Max. 16A 150 mm



125

LIGHTING TRACK


1m, 2m, 3m

WHITE

BLACK

SILVER

- 220-240V / 50-60Hz
- Max. 16A



1m. 097 001 0001

2m. 097 001 0002

3m. 097 001 0003



LED TRACK LIGHT / LIGHTING TRACK / TRACK CONNECTOR / RECESSED MONOPOINT



LED Spotlight



BEYRUT


017 001 0005

NEW

WHITE

BLACK

- 220-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 5W
- 320 lm
- 4200K



TOKYO


017 002 0008

NEW

WHITE

BLACK

- 100-240V / 50-60Hz
- Average Life: 40.000 Hrs
- 8W
- 500 lm
- 4200K



HOROZ ELECTRIC LED Suspension Light

DELUXE-35


019 012 0035

NEW



- BLACK
- WHITE
- RED
- BLUE

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 35W
- 2000 lm
- 4000K



HOROZ ELECTRIC LED Suspension Light



DELUXE-70

019 012 0070

NEW



- BLACK
- WHITE
- RED
- BLUE

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 70W
- 3900 lm
- 4000K





COSTA-35


019 015 0035

NEW

BLACK

WHITE

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 35W
- 2000 lm
- 4000K



MATRIX-35


019 013 0035

NEW

BLACK

WHITE

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 35W
- 2000 lm
- 4000K



LED SUSPENSION LIGHT



ROYAL-18

019 001 0018

HL 860L



ROYAL-24

019 001 0024

HL 861L



ROYAL-50

019 001 0050



WHITE


- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 18W / 24W / 50W
- 1260 lm / 1680 lm / 3500 lm
- 4000K



CLASIS-21

019 002 0021

HL 863L



CLASIS-31

019 002 0031

HL 864L



CLASIS-42

019 002 0042

HL 865L



WHITE

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 21W / 31W / 42W
- 1470 lm / 2170 lm / 2940 lm
- 4000K






MASTER-42

019 003 0042

HL 867L

WHITE

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 42W
- 2940 lm
- 4000K




MASTER-75

019 003 0075

HL 866L

WHITE

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 75W
- 5250 lm
- 4000K




EXCLUSIVE-24

019 004 0024

HL 868L

WHITE

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 24W
- 1680 lm
- 4000K




EXCLUSIVE-40

019 004 0040

HL 869L

WHITE

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 40W
- 2800 lm
- 4000K







AVANGARD-24

019 005 0024

WHITE

BLACK

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 24W
- 1680 lm
- 4000K





AVANGARD-40

019 005 0040

WHITE

BLACK

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 40W
- 2800 lm
- 4000K





ELEGANCE-24

019 006 0024

WHITE

BLACK

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 24W
- 1680 lm
- 4000K




ELEGANCE-40

019 006 0040

WHITE

BLACK

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 40W
- 2800 lm
- 4000K





CONCEPT-35

019 010 0035




ROSE

CHROME

WHITE

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 35W
- 1000 lm
- 4000K



CONCEPT-41

019 010 0041




ROSE

CHROME

WHITE

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 41W
- 1500 lm
- 4000K



LED SUSPENSION LIGHT



TREND-50


019 009 0050



BLACK


WHITE

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 50W
- 800 lm
- 4000K



TREND-85


019 009 0085



BLACK

WHITE

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 85W
- 1400 lm
- 4000K





ASFOR-50


019 011 0050



BLACK

WHITE

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 50W
- 800 lm
- 4000K



ASFOR-85


019 011 0085



BLACK

WHITE

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 85W
- 1400 lm
- 4000K



LED SUSPENSION LIGHT

VISTA


019 007 0024

WHITE

BLACK

RED

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 24W
- 1500 lm
- 4000K



LED SUSPENSION LIGHT

FAVORI



019 008 0062

CHROME

COPPER

BROWN

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 62W
- 2500 lm
- 4000K



HOROZ ELECTRIC Pendant Lamp

VOLTA

021 001 0001



NEW



BLACK

WHITE

BROWN

BLUE

RED

GREY

220-240V / 50-60Hz
Max. 60W



HOROZ ELECTRIC

Pendant Lamp



TESLA

021 003 0001



RED COPPER

OLD BRONZE

GOLD

CHROME

PEARL BLACK

220-240V / 50-60Hz
Max. 60W



NEW



**HOROZ ELECTRIC****LED Pendant Lamp****ASTRA-10**

020 001 0010

HL 870L



WHITE

BLACK

RED

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 10W
- 507 lm
- 6400K

**AVENSIS-10**

020 002 0010

HL 873L



WHITE

BLACK

RED

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 10W
- 492 lm
- 6400K

**HOROZ ELECTRIC****LED Pendant Lamp**

RoHS



LED PENDANT LAMP

ASTRA-15

020 001 0015

HL 871L



WHITE

BLACK

RED

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 15W
- 857 lm
- 6400K

**AVENSIS-15**

020 002 0015

HL 874L




WHITE

BLACK

RED

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 15W
- 1520 lm
- 6400K

**ASTRA-20**

020 001 0020

HL 872L



WHITE

BLACK

RED

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 20W
- 1712 lm
- 6400K

**AVENSIS-20**

020 002 0020

HL 875L



WHITE

BLACK

RED

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 20W
- 1600 lm
- 6400K





SEMBOL

020 006 0012



BLACK

WHITE


RED

GREEN

YELLOW

BLUE

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs
- 12W
- 850 lm
- 4000K



ALYA

020 005 0015



BLACK

WHITE


PINK

PURPLE

ORANGE

BLUE

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 15W
- 1200 lm
- 4000K



MİRA

020 004 0015



BLACK

WHITE

PINK

PURPLE

ORANGE

BLUE

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 15W
- 1200 lm
- 4000K



PRIZMA

020 007 0006



BLACK

WHITE


PINK

PURPLE

ORANGE

BLUE

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 6W
- 350 lm
- 4000K



NOVA

020 003 0006

HL 876L



BLACK

WHITE


PINK

PURPLE

ORANGE

BLUE

- 220-240V / 50-60Hz
- Average Life: 30.000 Hrs
- 6W
- 300 lm
- 4200K



**HOROZ ELECTRIC**

Downlight

025 001 0040 2,5"

HL 600




CHROME

MAT CHROME

WHITE

- 220-240V / 50-60Hz
- Max. 40W



025 002 0060 3"

HL 602





CHROME

MAT CHROME

WHITE

- 220-240V / 50-60Hz
- Max. 60W



025 003 0060 4"

HL 604





CHROME

MAT CHROME

WHITE

- 220-240V / 50-60Hz
- Max. 60W



025 004 0075 5"

HL 606




CHROME

MAT CHROME

WHITE

- 220-240V / 50-60Hz
- Max. 75W



025 005 0040 6"

HL 611





CHROME

MAT CHROME

WHITE

- 220-240V / 50-60Hz
- Max. 2x20W ESL



025 005 0052 8"

HL 612




CHROME

MAT CHROME

WHITE

- 220-240V / 50-60Hz
- Max. 2x26W ESL



025 006 0040 6"

HL 614




CHROME

MAT CHROME

WHITE

- 220-240V / 50-60Hz
- Max. 2x20W ESL



025 006 0050 8"

HL 616





CHROME

MAT CHROME

WHITE

- 220-240V / 50-60Hz
- Max. 2x25W ESL



Downlight



DOWNLIGHT

**HOROZ ELECTRIC**

Decorative Ceiling Lamp

ILGAZ-1

026 001 0001

HL 634S

**CHROME + MAT CHROME**

Diffuser: Glass

- 220-240V / 50-60Hz
- Max. 60W
- Max. 12W ESL

**ILGAZ-2**

026 001 0002

HL 634M

**CHROME + MAT CHROME**

Diffuser: Glass

- 220-240V / 50-60Hz
- Max. 60W
- Max. 12W ESL

**HOROZ ELECTRIC**

Decorative Ceiling Lamp

**ILGAZ-3**

026 001 0003

HL 634B

**CHROME + MAT CHROME**

Diffuser: Glass

- 220-240V / 50-60Hz
- Max. 2x60W
- Max. 2x12W ESL

**ILGAZ-4**

026 001 0004

HL 634W

**CHROME + MAT CHROME**

Diffuser: Glass

- 220-240V / 50-60Hz
- Max. 60W
- Max. 12W ESL

**KONAK-1**

026 002 0001

HL 635S

**CHROME + MAT CHROME**

Diffuser: Glass

- 220-240V / 50-60Hz
- Max. 60W
- Max. 12W ESL

**KONAK-2**

026 002 0002

HL 635M

**CHROME + MAT CHROME**

Diffuser: Glass

- 220-240V / 50-60Hz
- Max. 60W
- Max. 12W ESL

**KONAK-3**

026 002 0003

HL 635B

**CHROME + MAT CHROME**

Diffuser: Glass

- 220-240V / 50-60Hz
- Max. 2x60W
- Max. 2x12W ESL

**KONAK-4**

026 002 0004

HL 635W

**CHROME + MAT CHROME**

Diffuser: Glass

- 220-240V / 50-60Hz
- Max. 60W
- Max. 12W ESL



**ZARA-1**

026 003 0001

HL 636S

**MAT CHROME****Diffuser: Glass**

- 220-240V / 50-60Hz
- Max. 60W
- Max. 12W ESL

**SARAY-1**

026 005 0001

HL 643

**MAT CHROME****Diffuser: Glass**

- 220-240V / 50-60Hz
- Max. 40W
- Max. 9W ESL

**ZARA-2**

026 003 0002

HL 636M

**MAT CHROME****Diffuser: Glass**

- 220-240V / 50-60Hz
- Max. 2x60W
- Max. 2x12W ESL


**SARAY-2**

026 005 0002

HL 644

**MAT CHROME****Diffuser: Glass**

- 220-240V / 50-60Hz
- Max. 60W
- Max. 12W ESL


**ZARA-3**

026 003 0003

HL 636B

**MAT CHROME****Diffuser: Glass**

- 220-240V / 50-60Hz
- Max. 3x60W
- Max. 3x12W ESL


**SARAY-3**

026 005 0003

HL 645

**MAT CHROME****Diffuser: Glass**

- 220-240V / 50-60Hz
- Max. 2x60W
- Max. 2x12W ESL

**ZARA-4**

026 003 0004

HL 636W

**MAT CHROME****Diffuser: Glass**

- 220-240V / 50-60Hz
- Max. 60W
- Max. 12W ESL

**LICE-1**

026 004 0001

HL 641

**MAT CHROME****Diffuser: Glass**

- 220-240V / 50-60Hz
- Max. 60W
- Max. 12W ESL

**LICE-2**

026 004 0002

HL 642

**MAT CHROME****Diffuser: Glass**

- 220-240V / 50-60Hz
- Max. 2x60W
- Max. 2x12W ESL





ERDEK


029 001 0005

HL 855L

WHITE

RED

- 220-240V / 50-60Hz
- 5W, 325 lm
- 4000K
- Average Life: 30.000 Hrs



MENGEN

028 001 0001


HL 850

WHITE

BLACK

RED

- 220-240V / 50-60Hz
- Max. 40W





AVANOS

029 002 0008


HL 857L

CHROME

- 220-240V / 50-60Hz
- 8W, 100 lm
- 4200K
- Average Life: 30.000 Hrs



Wall Light
LED Wall Light





SİSAM

029 006 0008

WHITE

BLACK

- 100-240V / 50-60Hz
- 8W
- 320 lm
- 4200K
- Average Life: 30.000 Hrs



NEW




TRUVA

029 007 0008

WHITE

BLACK

- 100-240V / 50-60Hz
- 8W
- 520 lm
- 4200K
- Average Life: 30.000 Hrs



NEW




ABANT

029 005 0010

WHITE

- 85-265V / 50-60Hz
- 10W
- 825 lm
- 4200K
- Average Life: 30.000 Hrs



NEW






RODOS-3

029 004 0003



WHITE

- 85-265V / 50-60Hz
- 3W
- 170 lm
- 4000K
- Average Life: 30.000 Hr




RODOS-6

029 004 0006



WHITE

- 85-265V / 50-60Hz
- 6W
- 340 lm
- 4000K
- Average Life: 30.000 Hrs




RODOS-12

029 004 0012



WHITE

- 85-265V / 50-60Hz
- 12W
- 950 lm
- 4000K
- Average Life: 30.000 Hrs



WALL LIGHT / LED WALL LIGHT



BELEN-6

029 003 0006

WHITE

- 85-265V / 50-60Hz
- 6W
- 340 lm
- 4000K
- Average Life: 30.000 Hrs




BELEN-12

029 003 0012

WHITE

- 85-265V / 50-60Hz
- 12W
- 950 lm
- 4000K
- Average Life: 30.000 Hrs



BELEN-18

029 003 0018

WHITE

- 85-265V / 50-60Hz
- 18W
- 1400 lm
- 4000K
- Average Life: 30.000 Hrs




**HORUZ ELECTRIC****Ceiling Lamp / LED Ceiling Lamp**

035 001 0002

HL 7151

MANYAS-2**CHROME**

- 220-240V / 50-60Hz
- Max. 40W




Bulb included

035 001 0003

HL 7152

MANYAS-3**CHROME**

- 220-240V / 50-60Hz
- Max. 2x40W



Bulb included

**HORUZ ELECTRIC****Ceiling Lamp
LED Ceiling Lamp**

035 001 0004

HL 7153

MANYAS-4**CHROME**

- 220-240V / 50-60Hz
- Max. 3x40W



Bulb included

035 001 0001

HL 7150

MANYAS-1**CHROME**

- 220-240V / 50-60Hz
- Max. 3x40W



Bulb included

035 001 0006

HL 7158

MANYAS-6**CHROME**

- 220-240V / 50-60Hz
- Max. 4x40W




Bulb included

035 001 0005

HL 7154

MANYAS-5**CHROME**

- 220-240V / 50-60Hz
- Max. 4x40W



Bulb included




035 002 0002
HL 7171

BERGAMA-2

CHROME

- 220-240V / 50-60Hz
- 9W ESL
- Max. 40W





Bulb included

035 002 0003
HL 7172

BERGAMA-3

CHROME

- 220-240V / 50-60Hz
- 2x9W ESL
- Max. 2x40W




Bulb included

035 002 0004
HL 7173

BERGAMA-4

CHROME

- 220-240V / 50-60Hz
- 3x9W ESL
- Max. 3x40W




Bulb included

035 002 0001
HL 7170

BERGAMA-1

CHROME

- 220-240V / 50-60Hz
- 3x9W ESL
- Max. 3x40W




Bulb included

035 002 0005
HL 7174

BERGAMA-5

CHROME

- 220-240V / 50-60Hz
- 4x9W ESL
- Max. 4x40W



Bulb included




035 003 0001

HL 790N

MANAVGAT-1

CHROME

- 220-240V / 50-60Hz
- 9W ESL




035 003 0002

HL 791N

MANAVGAT-2

CHROME

- 220-240V / 50-60Hz
- 2x9W ESL




035 003 0003

HL 792N

MANAVGAT-3

CHROME

- 220-240V / 50-60Hz
- 3x9W ESL




035 003 0005

HL 794N

MANAVGAT-5

CHROME

- 220-240V / 50-60Hz
- 3x9W ESL




035 003 0004

HL 793N

MANAVGAT-4

CHROME

- 220-240V / 50-60Hz
- 4x9W ESL



CEILING LAMP / LED CEILING LAMP




035 004 0001

BODRUM-1

MAT CHROME

HL 785N

- 220-240V / 50-60Hz
- 9W ESL




035 004 0002

BODRUM-2

MAT CHROME

HL 786N

- 220-240V / 50-60Hz
- 2x9W ESL




035 004 0003

BODRUM-3

MAT CHROME

HL 787N

- 220-240V / 50-60Hz
- 3x9W ESL



CEILING LAMP / LED CEILING LAMP


035 004 0004

BODRUM-4

MAT CHROME

HL 788N

- 220-240V / 50-60Hz
- 4x9W ESL






035 005 0001
HL 715

KEMER-1

CHROME

- 220-240V / 50-60Hz
- Max. 40W
- Max. 9W ESL




Bulb included

035 005 0002
HL 716

KEMER-2

CHROME

- 220-240V / 50-60Hz
- Max. 2x40W
- Max. 2x9W ESL




Bulb included

035 005 0003
HL 717

KEMER-3

CHROME

- 220-240V / 50-60Hz
- Max. 3x40W
- Max. 3x9W ESL




Bulb included

035 005 0005
HL 719

KEMER-5

CHROME

- 220-240V / 50-60Hz
- Max. 3x40W
- Max. 3x9W ESL




Bulb included

035 005 0004
HL 718

KEMER-4

CHROME

- 220-240V / 50-60Hz
- Max. 4x40W
- Max. 4x9W ESL



Bulb included




035 006 0001

HL 711

EFES-1

CHROME

- 220-240V / 50-60Hz
- Max. 40W



Bulb included


035 006 0002

HL 712

EFES-2

CHROME

- 220-240V / 50-60Hz
- Max. 2x40W



Bulb included


035 006 0003

HL 713

EFES-3

CHROME

- 220-240V / 50-60Hz
- Max. 3x40W



Bulb included


035 006 0004

HL 714

EFES-4

CHROME

- 220-240V / 50-60Hz
- Max. 4x40W



Bulb included






035 007 0001
HL 743

RİVA-1

MAT CHROME

• 220-240V / 50-60Hz
• Max. 40W




Bulb Included

035 007 0002
HL 744

RİVA-2

MAT CHROME

• 220-240V / 50-60Hz
• Max. 2x40W




Bulb Included

035 007 0003
HL 745

RİVA-3

MAT CHROME

• 220-240V / 50-60Hz
• Max. 3x40W




Bulb Included

035 007 0005
HL 747

RİVA-5

MAT CHROME

• 220-240V / 50-60Hz
• Max. 3x40W




Bulb Included

035 007 0004
HL 746

RİVA-4

MAT CHROME

• 220-240V / 50-60Hz
• Max. 4x40W




Bulb Included

035 007 0006
HL 748

RİVA-6

MAT CHROME

• 220-240V / 50-60Hz
• Max. 6x40W



Bulb Included

CEILING LAMP / LED CEILING LAMP




035 008 0001
HL 780

DALYAN-1

MAT CHROME

- 220-240V / 50-60Hz
- Max. 40W



Bulb included




035 008 0002
HL 781

DALYAN-2

MAT CHROME

- 220-240V / 50-60Hz
- Max. 2x40W



Bulb included




035 008 0003
HL 782

DALYAN-3

MAT CHROME

- 220-240V / 50-60Hz
- Max. 3x40W



Bulb included




035 008 0005
HL 784

DALYAN-5

MAT CHROME

- 220-240V / 50-60Hz
- Max. 3x40W



Bulb included




035 008 0004
HL 783

DALYAN-4

MAT CHROME

- 220-240V / 50-60Hz
- Max. 4x40W



Bulb included






035 009 0001

HL 700

AMOS-1

CHROME + MAT CHROME

- 220-240V / 50-60Hz
- Max. 40W





035 009 0002

HL 701

AMOS-2

CHROME + MAT CHROME

- 220-240V / 50-60Hz
- Max. 2x40W




035 009 0003

HL 702

AMOS-3

CHROME + MAT CHROME

- 220-240V / 50-60Hz
- Max. 3x40W




035 009 0004

HL 703

AMOS-4

CHROME + MAT CHROME

- 220-240V / 50-60Hz
- Max. 2x40W




035 009 0005

HL 704

AMOS-5

CHROME + MAT CHROME

- 220-240V / 50-60Hz
- Max. 3x40W





036 007 0001

LİKYA-1

CHROME

- 220-240V / 50-60Hz
- 5W
- 300 lm
- 4000K




036 007 0002

LİKYA-2

CHROME

- 220-240V / 50-60Hz
- 2x5W
- 2x300 lm
- 4000K




036 007 0003

LİKYA-3

CHROME

- 220-240V / 50-60Hz
- 3x5W
- 3x300 lm
- 4000K




036 007 0004

LİKYA-4

CHROME

- 220-240V / 50-60Hz
- 4x5W
- 4x300 lm
- 4000K




036 007 0005

LİKYA-5

CHROME

- 220-240V / 50-60Hz
- 4x5W
- 4x300 lm
- 4000K




036 007 0006

LİKYA-6

CHROME

- 220-240V / 50-60Hz
- 6x5W
- 6x300 lm
- 4000K





036 001 0002


PATARA-2

CHROME

HL 7181L



- 220-240V / 50-60Hz
- 4W
- 260 lm
- 4000K




036 001 0003

PATARA-3

CHROME

HL 7182L

- 220-240V / 50-60Hz
- 2x4W
- 2x260 lm
- 4000K




036 001 0004

PATARA-4

CHROME

HL 7183L

- 220-240V / 50-60Hz
- 3x4W
- 3x260 lm
- 4000K




036 001 0001

PATARA-1

CHROME

HL 7180L

- 220-240V / 50-60Hz
- 3x4W
- 3x260 lm
- 4000K




036 001 0005

PATARA-5

CHROME

HL 7184L

- 220-240V / 50-60Hz
- 4x4W
- 4x260 lm
- 4000K



CEILING LAMP / LED CEILING LAMP



036 002 0002


LARA-2

CHROME

HL 7191L



- 220-240V / 50-60Hz
- 4W
- 260 lm
- 4000K



036 002 0003


LARA-3

CHROME

HL 7192L



- 220-240V / 50-60Hz
- 2x4W
- 2x260 lm
- 4000K



036 002 0004


LARA-4

CHROME

HL 7193L



- 220-240V / 50-60Hz
- 3x4W
- 3x260 lm
- 4000K



036 002 0001


LARA-1

CHROME

HL 7190L



- 220-240V / 50-60Hz
- 3x4W
- 3x260 lm
- 4000K



036 002 0005


LARA-5

CHROME

HL 7194L



- 220-240V / 50-60Hz
- 4x4W
- 4x260 lm
- 4000K






036 003 0002

HL 7161L

SIDE-2

CHROME

- 220-240V / 50-60Hz
- 5W
- 325 lm
- 4000K




036 003 0003

HL 7162L

SIDE-3

CHROME

- 220-240V / 50-60Hz
- 2x5W
- 2x325 lm
- 4000K




036 003 0004

HL 7163L

SIDE-4

CHROME

- 220-240V / 50-60Hz
- 3x5W
- 3x325 lm
- 4000K




036 003 0001

HL 7160L

SIDE-1

CHROME

- 220-240V / 50-60Hz
- 3x5W
- 3x325 lm
- 4000K




036 003 0005

HL 7164L

SIDE-5

CHROME

- 220-240V / 50-60Hz
- 4x5W
- 4x325 lm
- 4000K






036 005 0001

DiDiM-1

CHROME

- 220-240V / 50-60Hz
- 3x5W
- 3x400 lm
- 4000K




036 005 0002

DiDiM-2

CHROME

- 220-240V / 50-60Hz
- 5W
- 400 lm
- 4000K




036 005 0003

DiDiM-3

CHROME

- 220-240V / 50-60Hz
- 2x5W
- 2x400 lm
- 4000K




036 005 0004

DiDiM-4

CHROME

- 220-240V / 50-60Hz
- 3x5W
- 3x400 lm
- 4000K




036 005 0005

DiDiM-5

CHROME

- 220-240V / 50-60Hz
- 4x5W
- 4x400 lm
- 4000K






036 006 0001

ASSOS-1

CHROME

- 220-240V / 50-60Hz
- 3x5W
- 3x400 lm
- 4000K




036 006 0002

ASSOS-2

CHROME

- 220-240V / 50-60Hz
- 5W
- 400 lm
- 4000K




036 006 0003

ASSOS-3

CHROME

- 220-240V / 50-60Hz
- 2x5W
- 2x400 lm
- 4000K




036 006 0004

ASSOS-4

CHROME

- 220-240V / 50-60Hz
- 3x5W
- 3x400 lm
- 4000K




036 006 0005

ASSOS-5

CHROME

- 220-240V / 50-60Hz
- 4x5W
- 4x400 lm
- 4000K






036 004 0001
HL 7140L

MİLAS-1

CHROME

- 220-240V / 50-60Hz
- 3x5W
- 3x400 lm
- 4000K




036 004 0002
HL 7141L

MİLAS-2

CHROME

- 220-240V / 50-60Hz
- 5W
- 400 lm
- 4000K




036 004 0003
HL 7142L

MİLAS-3

CHROME

- 220-240V / 50-60Hz
- 2x5W
- 2x400 lm
- 4000K




036 004 0004
HL 7143L

MİLAS-4

CHROME

- 220-240V / 50-60Hz
- 3x5W
- 3x400 lm
- 4000K




036 004 0005
HL 7144L

MİLAS-5

CHROME

- 220-240V / 50-60Hz
- 4x5W
- 4x400 lm
- 4000K




**HOROZ ELECTRIC**Bathroom Lamp / Picture & Mirror Lamp /
LED Picture & Mirror Lamp / LED Reading Lamp**AQUA-1**

037 001 0001

HL 881

**CHROME**

- 220-240V / 50-60Hz
- Max. 40W


**VODA-1**

037 002 0001

HL 891

**CHROME**

- 220-240V / 50-60Hz
- Max. 40W


**HOROZ ELECTRIC**Bathroom Lamp
Picture & Mirror Lamp
LED Picture & Mirror Lamp
LED Reading Lamp**AQUA-2**

037 001 0002

HL 882

**CHROME**

- 220-240V / 50-60Hz
- Max. 2x40W


**VODA-2**

037 002 0002

HL 892

**CHROME**

- 220-240V / 50-60Hz
- Max. 2x40W


**AQUA-3**

037 001 0003

HL 883

**CHROME**

- 220-240V / 50-60Hz
- Max. 3x40W


**VODA-3**

037 002 0003

HL 893

**CHROME**

- 220-240V / 50-60Hz
- Max. 3x40W




BATHROOM LAMP / PICTURE & MIRROR LAMP / LED PICTURE & MIRROR LAMP / LED READING LAMP

040 011 0009

SUMRU-9
CHROME

- 85-265V / 50-60Hz
- 9W
- 850 lm
- 4200K
- Average Life: 30.000 Hrs


NEW


040 010 0006

EBABİL-6
CHROME

- 85-265V / 50-60Hz
- 6W
- 550 lm
- 4200K
- Average Life: 30.000 Hrs


NEW



**PELIKAN**

040 003 0004

HL 6631L

CHROME**21 LED**

- 100-250V / 50-60Hz
- 4W, 148 lm
- 4200K
- Average Life: 30.000 Hrs


**FLAMİNGO-4**

040 001 0004

HL 6641L

CHROME**21 LED**

- 100-250V / 50-60Hz
- 4W, 360 lm
- 4200K
- Average Life: 30.000 Hrs




040 001 0006

FLAMİNGO-6

HL 6642L

CHROME**30 LED**

- 100-250V / 50-60Hz
- 6W, 500 lm
- 4200K
- Average Life: 30.000 Hrs




040 002 0004

ALBATROS-4

HL 6651L

CHROME**21 LED**

- 100-250V / 50-60Hz
- 4W, 360 lm
- 4200K
- Average Life: 30.000 Hrs




040 002 0006

ALBATROS-6

HL 6652L

CHROME**30 LED**

- 100-250V / 50-60Hz
- 6W, 500 lm
- 4200K
- Average Life: 30.000 Hrs




039 001 0001

KUMRU

HL 652

CHROME**MAT CHROME****GOLDEN****TITANIUM BLACK**

- Built in electronic transformer
- 220-240V / 50-60Hz 12V
- Max. 2x20W, 500 lm



BATHROOM LAMP / PICTURE & MIRROR LAMP / LED PICTURE & MIRROR LAMP / LED READING LAMP

LORI-6

040 008 0006




CHROME

12 LED

- 85-265V / 50-60Hz
- 6W, 360 lm
- 4200K
- Average Life: 30.000 Hrs



ON-OFF



LORI-9

040 008 0009




CHROME

18 LED

- 85-265V / 50-60Hz
- 9W, 540 lm
- 4200K
- Average Life: 30.000 Hrs



ON-OFF



FLORYA-3

040 009 0003



CHROME

- 100-265V / 50-60Hz
- 3W
- 170 lm
- 4000K
- Average Life: 30.000 Hrs



ON-OFF



FLORYA-6

040 009 0006



CHROME

- 100-265V / 50-60Hz
- 6W
- 385 lm
- 4000K
- Average Life: 30.000 Hrs



ON-OFF



FLORYA-9

040 009 0009



CHROME

- 100-265V / 50-60Hz
- 9W
- 540 lm
- 4000K
- Average Life: 30.000 Hrs



ON-OFF




HL 651



CHROME

MAT CHROME

- Built in electronic transformer
- 220-240V / 50-60Hz 12V
- Max. 2x20W (JC)
- Max. 2x35W (MR11)



**SAKA**

040 004 0003

HL 003L

RED


WHITE

BLACK

- 220-240V / 50-60Hz
- 3W, 130 lm
- 3000K
- Average Life: 30.000 Hrs



ON-OFF

**MARTI**

040 005 0003

HL 008L

RED


WHITE

BLACK

- 220-240V / 50-60Hz
- 3W, 130 lm
- 3000K
- Average Life: 30.000 Hrs



ON-OFF

**KUĞU**

040 006 0003

SILVER

- 220-240V / 50-60Hz
- 3W, 200 lm
- 4200K
- Average Life: 30.000 Hrs



ON-OFF

**TURNA**

040 007 0003

SILVER

- 220-240V / 50-60Hz
- 3W, 200 lm
- 4200K
- Average Life: 30.000 Hrs



ON-OFF



BATHROOM LAMP / PICTURE & MIRROR LAMP / LED PICTURE & MIRROR LAMP / LED READING LAMP



HOROZ ELECTRIC

LED Floor Lamp / Floor Lamp



HOROZ ELECTRIC

**LED Floor Lamp
Floor Lamp**



046 001 0003
HL 004L

TUNA

RED

WHITE

BLACK

- 220-240V / 50-60Hz
- 3W, 130 lm
- 3000K
- Average Life: 30.000 Hrs



046 002 0003
HL 009L

ARAS

RED

WHITE

BLACK

- 220-240V / 50-60Hz
- 3W, 130 lm
- 3000K
- Average Life: 30.000 Hrs



046 003 0003
HL 012L

DİCLE

RED

WHITE

BLACK

- 220-240V / 50-60Hz
- 3W, 130 lm
- 3000K
- Average Life: 30.000 Hrs



LED FLOOR LAMP / FLOOR LAMP



MERİÇ-1

045 001 0001

HL 080



BLUE

WHITE

GREEN

ORANGE

- 220-240V / 50-60Hz
- Max. 100W



MERİÇ-2

045 001 0002

HL 081



WHITE

- 220-240V / 50-60Hz
- Mother: Max. 100W E27
- Baby: Max. 40W E14



MERİÇ-3

045 001 0003

HL 082



WHITE

- 220-240V / 50-60Hz
- Mother: Max. 100W E27
- Baby: Max. 40W E14



LED FLOOR LAMP / FLOOR LAMP




HOROZ ELECTRIC

LED Desk Lamp / Desk Lamp

ASTRO

049 026 0006

NEW



WHITE

YELLOW

PINK

- 100-240V / 50-60Hz
- 6W, 350 lm
- 3000K-4500K-6000K
- Average Life: 30.000 Hrs



HOROZ ELECTRIC


LED Desk Lamp / Desk Lamp



JUMBO

049 027 0006

NEW



WHITE

BLUE

PINK

- 100-240V / 50-60Hz
- 6W, 350 lm
- 3000K-4500K-6000K
- Average Life: 30.000 Hrs



FELIX

049 028 0006

NEW



WHITE

BLUE

PINK


- 100-240V / 50-60Hz
- 6W, 350 lm
- 3000K-4500K-6000K
- Average Life: 30.000 Hrs



SNOOPY

049 029 0006

NEW



WHITE

BLUE

YELLOW

- 100-240V / 50-60Hz
- 6W, 350 lm
- 3000K-4500K-6000K
- Average Life: 30.000 Hrs



LED DESK LAMP / DESK LAMP



049 010 0010

EBRU

BLACK

WHITE

SILVER

- 100-240V / 50-60Hz
- 10W, 600 lm
- 3000K/4500K/6000K
- Average Life: 30.000 Hrs



049 009 0005

MERVE

BLUE

YELLOW

PINK

- 100-240V / 50-60Hz
- 5W, 300 lm
- 4600K
- Average Life: 30.000 Hrs



049 011 0005

İREM

RED

WHITE

BLACK

- 100-240V / 50-60Hz
- 5W, 300 lm
- 4600K
- Average Life: 30.000 Hrs



049 004 0003

HL 007L


DİLARA

RED

WHITE

BLACK

- 220-240V / 50-60Hz
- 3W, 130 lm
- 3000K
- Average Life: 30.000 Hrs



049 005 0003

HL 011L

BUKET

RED

WHITE

BLACK

- 220-240V / 50-60Hz
- 3W, 130 lm
- 3000K
- Average Life: 30.000 Hrs





049 006 0003
HL 010L

BERNA

BLACK

WHITE

BLUE

RED

- 220-240V / 50-60Hz
- 3W, 130 lm
- 3000K
- Average Life: 30.000 Hrs



ON-OFF

049 007 0003
HL 013L

BUSE

BLACK

WHITE

BLUE

RED

GREEN

- 220-240V / 50-60Hz
- 3W, 130 lm
- 3000K
- Average Life: 30.000 Hrs



ON-OFF

049 008 0003
HL 014L

BILGE

BLACK

WHITE

BLUE

RED

GREEN

- 220-240V / 50-60Hz
- 3W, 130 lm
- 3000K
- Average Life: 30.000 Hrs



ON-OFF

049 002 0003
HL 002L


BEYZA

RED

WHITE

BLACK

- 220-240V / 50-60Hz
- 3W, 130 lm
- 3000K
- Average Life: 30.000 Hrs



ON-OFF

049 003 0003
HL 006L


ALEYNA

RED

WHITE

BLACK

- 220-240V / 50-60Hz
- 3W, 130 lm
- 3000K
- Average Life: 30.000 Hrs



ON-OFF

049 001 0003
HL 001L


ECE

RED

WHITE

BLACK

- 220-240V / 50-60Hz
- 3W, 130 lm
- 3000K
- Average Life: 30.000 Hrs



ON-OFF



BUDDY

048 001 0015

HL 045



- PINK
- BLUE
- YELLOW

- 220-240V / 50-60Hz
- 15W
- 4500K
- 500 lm



OSCAR

048 002 0015

HL 046



- PINK
- WHITE
- YELLOW

- 220-240V / 50-60Hz
- 15W
- 4500K
- 500 lm



TOBY

048 003 0015

HL 047



- ORANGE
- BLUE
- YELLOW

- 220-240V / 50-60Hz
- 15W
- 4500K
- 500 lm



KITTY

048 004 0011

HL 036



- PINK
- BLUE
- GREEN

- 220-240V / 50-60Hz
- Max. 11W, 350 lm



048 008 0011

HL 044

FLYER



- PINK
- BLUE
- YELLOW

- 220-240V / 50-60Hz
- Max. 11W, 350 lm



048 006 0011


HL 038

APPLE



- PINK
- BLUE
- YELLOW

- 220-240V / 50-60Hz
- Max. 11W, 350 lm



048 007 0011


HL 043

DONALD



- BLUE
- ORANGE
- GREEN

- 220-240V / 50-60Hz
- Max. 11W, 350 lm





048 010 0060
HL 067

DERYA

BLACK

WHITE

RED

- 220-240V / 50-60Hz
- Max. 60W



048 011 0040
HL 068

DENİZ

BLACK

WHITE

RED

- 220-240V / 50-60Hz
- Max. 9W ESL
- Max. 40W



048 009 0060
HL 050

BİHTER

BLACK

WHITE

RED

BLUE

- 220-240V / 50-60Hz
- Max. 60W



048 013 0060
HL 074


RANA

BLACK

WHITE

RED

- 220-240V / 50-60Hz
- Max. 12W ESL
- Max. 60W




048 014 0060
HL 090

SİMGE

GREEN

BLUE

- 220-240V / 50-60Hz
- Max. 60W





HOROZ ELECTRIC

LED Batten Light / Electronic Wall Lamp

052 003 0060

TETRA-18

- 1135 lm
- Average Life: 20.000 Hrs
- 200-240V / 50-60Hz
- 6400K



HOROZ ELECTRIC

LED Batten Light Electronic Wall Lamp



052 003 0120

TETRA-36

- 2269 lm
- Average Life: 20.000 Hrs
- 200-240V / 50-60Hz
- 6400K



052 001 0030

SIGMA-4

4W - 30 cm

052 001 0060

SIGMA-7

7W - 60 cm

052 001 0090

SIGMA-10

10W - 90 cm

052 001 0120

SIGMA-14

14W - 120 cm

HL 2001L



- 254 lm
- 552 lm
- 846 lm
- 1100 lm
- Average Life: 20.000 Hrs
- 220-240V / 50-60Hz
- 6400K

46-282 mm 126-800 mm

76-546 mm 146-1156 mm

106-802 mm 166-1302 mm

136-1058 mm 186-1458 mm

166-1314 mm 206-1614 mm

196-1570 mm 226-1770 mm

226-1826 mm 246-1926 mm

256-1982 mm 266-2082 mm

286-2138 mm 286-2238 mm

316-2294 mm 306-2394 mm

346-2450 mm 326-2550 mm

376-2606 mm 346-2706 mm

406-2762 mm 366-2862 mm

436-2918 mm 386-2918 mm

466-3074 mm 406-3074 mm

496-3230 mm 426-3230 mm

526-3386 mm 446-3386 mm

556-3542 mm 466-3542 mm

586-3698 mm 486-3698 mm

616-3854 mm 506-3854 mm

646-4010 mm 526-4010 mm

676-4166 mm 546-4166 mm

706-4322 mm 566-4322 mm

052 002 0030

OMEGA-6

6W - 30 cm

052 002 0060

OMEGA-9

9W - 60 cm

052 002 0090

OMEGA-12

12W - 90 cm

052 002 0120

OMEGA-16

16W - 120 cm

HL 3011L



- 273 lm
- 538 lm
- 898 lm
- 1136 lm
- Average Life: 20.000 Hrs
- 220-240V / 50-60Hz
- 6400K

46-282 mm 126-800 mm

76-546 mm 146-1156 mm

106-802 mm 166-1302 mm

136-1058 mm 186-1458 mm

166-1314 mm 206-1614 mm

196-1570 mm 226-1770 mm

226-1826 mm 246-1926 mm

BETA-18 053 002 0018 220-240V / 50-60Hz

BETA-36 053 002 0036

HL 3011

T8 ON-OFF

ALFA-6 053 001 0006 **ALFA-13** 053 001 0013

ALFA-8 053 001 0008 **ALFA-28** 053 001 0028

HL 2001

220-240V / 50-60Hz

T8 ON-OFF

DELTA-18 053 008 0018 **DELTA-36** 053 008 0036

HL 160 18W / HL 161 36W

220-240V / 50-60Hz

T8

PUNTO-36 053 009 0036 **PUNTO-72** 053 009 0072

HL 162 2x18W / HL 163 2x36W

220-240V / 50-60Hz

T8

ZETA-18 053 010 0018 **ZETA-36** 053 010 0036

HL 164 18W / HL 165 36W

220-240V / 50-60Hz

T8

054 001 0080

HL 182E 4x20W

RECESSED TYPE

- 220-240V / 50-60Hz
- With built-in suitable electronic ballast
- For Lamp: 4x20W, 4000 lm

50 mm

HL 182 - 118 mm HL 184 - 135 mm

ELECTRONIC BALLAST T8

054 002 0080

HL 183E 4x20W

SURFACE TYPE

- 220-240V / 50-60Hz
- With built-in suitable electronic ballast
- For Lamp: 4x20W, 4000 lm

50 mm


HL 183 - 90 mm

ELECTRONIC BALLAST T8



IRMAK-18

059 004 0018



- 170-265V/50-60Hz
- 18W
- 1440 lm
- 4200K
- Average Life: 30.000Hrs

IRMAK-36

059 004 0036



- 170-265V/50-60Hz
- 36W
- 2880 lm
- 4200K
- Average Life: 30.000Hrs



LED Waterproof Lamp Waterproof Lamp Magnetic Wall Lamp



NEHIR-18

059 003 0018



- 170-265V/50-60Hz
- 18W
- 1440 lm
- 4200K
- Average Life: 30.000Hrs

NEHIR-36

059 003 0036



- 170-265V/50-60Hz
- 36W
- 2880 lm
- 4200K
- Average Life: 30.000Hrs

OKYANUS-36

059 005 0036



- 170-265V/50-60Hz
- 36W
- 2880 lm
- 4200K
- Average Life: 30.000Hrs



OKYANUS-72

059 005 0072



- 170-265V/50-60Hz
- 72W
- 5760 lm
- 4200K
- Average Life: 30.000Hrs

IRMAK-45
059 004 0045

NEW

WATERPROOF · WATERPROOF · WATERPROOF · WATERPROOF

IP65

PC COVER

- 170-265V/50-60Hz
- 45W
- 3600 lm
- 4200K
- Average Life: 30.000Hrs

43 mm 23 mm 1560 mm

45W SMD LED



NEHIR-45
059 003 0045

WATERPROOF · WATERPROOF · WATERPROOF · WATERPROOF

IP65

PC COVER

- 170-265V/50-60Hz
- 45W
- 3600 lm
- 4200K
- Average Life: 30.000Hrs

78.4 mm 38.3 mm 1562 mm

45W SMD LED

OKYANUS-90
059 005 0090

NEW

WATERPROOF · WATERPROOF · WATERPROOF · WATERPROOF

IP65

PC COVER

- 170-265V/50-60Hz
- 90W
- 7200 lm
- 4200K
- Average Life: 30.000Hrs

118.4 mm 55.8 mm 1542 mm

90W SMD LED

059 002 1009

SU-1009

- 220-240V / 50-60Hz
- 9W
- 650 lm
- Average Life: 25.000 Hrs
- 6400K



**INCLUDED LED TUBE
PC COVER**



059 002 1018

SU-1018

- 220-240V / 50-60Hz
- 18W
- 1300 lm
- Average Life: 25.000 Hrs
- 6400K



**INCLUDED LED TUBE
PC COVER**




059 002 2009

SU-2009

- 220-240V / 50-60Hz
- 18W
- 1300 lm
- Average Life: 25.000 Hrs
- 6400K



**INCLUDED LED TUBE
PC COVER**



059 002 2018

SU-2018

- 220-240V / 50-60Hz
- 36W
- 2600 lm
- Average Life: 25.000 Hrs
- 6400K



**INCLUDED LED TUBE
PC COVER**



058 001 1020

TRONIC-1020

HL 141E



- 220-240V / 50-60Hz
- With built-in suitable electronic ballast
- Max. 20W
- For Lamp: 1000 lm



058 001 2020

TRONIC-2020

HL 143E



- 220-240V / 50-60Hz
- With built-in suitable electronic ballast
- Max. 2x20W
- For Lamp: 2000 lm




058 001 1040

TRONIC-1040

HL 142E



- 220-240V / 50-60Hz
- With built-in suitable electronic ballast
- Max. 40W
- For Lamp: 2500 lm



058 001 2040

TRONIC-2040

HL 144E



- 220-240V / 50-60Hz
- With built-in suitable electronic ballast
- Max. 2x40W
- For Lamp: 5000 lm




060 001 1020

TMS-1020

HL 150

- 220-240V / 50-60Hz
- With built-in suitable ballast & starter
- Current: 0.37A
- $\Delta T65^{\circ}\text{C TW105}^{\circ}$
- Max. 20W
- For Lamp: 1000 lm



060 001 1040

TMS-1040

HL 152

- 220-240V / 50-60Hz
- With built-in suitable ballast & starter
- Current: 0.43A
- $\Delta T65^{\circ}\text{C TW105}^{\circ}$
- Max. 40W
- For Lamp: 2500 lm



060 001 2020

TMS-2020

HL 151

- 220-240V / 50-60Hz
- With built-in suitable ballast & starter
- Current: 0.41A
- $\Delta T65^{\circ}\text{C TW105}^{\circ}$
- Max. 2x20W
- For Lamp: 2000 lm




060 001 2040


TMS-2040

HL 153

- 220-240V / 50-60Hz
- With built-in suitable ballast & starter
- Current: 0.43A
- $\Delta T65^{\circ}\text{C TW105}^{\circ}$
- Max. 2x40W
- For Lamp: 5000 lm



HL 140



- 220-240V / 50-60Hz
- 11W
- With built-in suitable ballast
- For Lamp: 520 lm



**HOROZ ELECTRIC**

High Bay Lamp / LED High Bay Lamp

062 001 0015

ZEUS

HL 500



- 220-240V / 50-60Hz
- PC
- Max. 75W
- Max. 15W ESL

SHATTERPROOF

062 003 0025

AFRODIT

HL 502



- RED
- GREEN
- BLUE
- PINK
- CLEAR

- 220-240V / 50-60Hz
- PC
- Max. 100W
- Max. 25W ESL

**HOROZ ELECTRIC**

High Bay Lamp LED High Bay Lamp



062 002 0015

APOLLON

HL 501



- 220-240V / 50-60Hz
- PC
- Max. 75W
- Max. 15W ESL

SHATTERPROOF

062 004 0045

EROS

HL 505



- 220-240V / 50-60Hz
- PC
- Max. 200W
- Max. 45W ESL

SHATTERPROOF

062 005 0045

ATHENA

HL 506



- 220-240V / 50-60Hz
- PC
- Max. 200W
- Max. 45W ESL

SHATTERPROOF

062 006 0065

ARES

HL 510



- 220-240V / 50-60Hz
- PC
- Max. 300W
- Max. 65W ESL

SHATTERPROOF

062 007 0065

GALYA

HL 513



- 220-240V / 50-60Hz
- PC
- Max. 300W
- Max. 65W ESL

SHATTERPROOF

062 008 0105

HERA

HL 514



- 220-240V / 50-60Hz
- PC
- Max. 250W

SHATTERPROOF

HIGH BAY LAMP / LED HIGH BAY LAMP




ATLAS-50

063 001 0050

HL 515L

- 220-240V / 50-60Hz
- Aluminium Body
- Average Life: 30.000 Hrs
- 50W, 2990 lm
- 6400K




HIGH BAY LAMP / LED HIGH BAY LAMP

ATLAS-70

063 001 0070

HL 516L

- 220-240V / 50-60Hz
- Aluminium Body
- Average Life: 30.000 Hrs
- 70W, 4540 lm
- 6400K




ATLAS-100

063 001 0100

HL 517L

- 220-240V / 50-60Hz
- Aluminium Body
- Average Life: 30.000 Hrs
- 90W, 5880 lm
- 6400K



065 001 0150


HL 100



WHITE

BLACK

- 220-240V / 50-60Hz
- Max. 150W



Bulb Included

065 001 0500


HL 101



WHITE

BLACK

- 220-240V / 50-60Hz
- Max. 500W



Bulb Included



Halogen Projector Metal Halide Projector



065 002 0150


HL 104



WHITE

BLACK

- 220-240V / 50-60Hz
- Max. 150W



Bulb Included

065 002 0500


HL 105



WHITE

BLACK

- 220-240V / 50-60Hz
- Max. 500W



Bulb Included

067 002 0150

HL 120A




BLACK

- 220-240V / 50-60Hz
- Max. 150W



HD not



HL 135




WHITE

- 220-240V / 50-60Hz
- Max. 150W
- With Ballast



HD not



HALOGEN PROJECTOR / METAL HALIDE PROJECTOR

KAPLAN-45


068 007 0045

NEW



BLACK

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 45W, 3600 lm
- 4200K




KAPLAN-45W

068 007 0001

Apparatus for Wall Lamp

NEW




Projector Not Included

KAPLAN-45S

068 007 0002

Apparatus for Street Lamp

NEW




Projector Not Included

KAPLAN-45C

068 007 0003

Apparatus for Connection

NEW



Projector Not Included




068 006 0020

LEOPAR-20

BLACK

- 85-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 20W, 1700 lm
- 2700K / 4200K / 6400K




068 006 0030

LEOPAR-30

BLACK

- 85-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 30W, 2550 lm
- 2700K / 4200K / 6400K




068 006 0050

LEOPAR-50

BLACK

- 85-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 50W, 4250 lm
- 2700K / 4200K / 6400K




068 006 0100

LEOPAR-100

BLACK

- 85-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 100W, 8500 lm
- 2700K / 4200K / 6400K




068 006 0150

LEOPAR-150

BLACK

- 85-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 150W, 12750 lm
- 2700K / 4200K / 6400K




068 006 0200

LEOPAR-200

BLACK

- 85-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 200W, 17000 lm
- 2700K / 4200K / 6400K




068 005 0050

PANTER-50

BLACK

- 85-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 50W, 3750 lm
- 2700K / 4200K / 6400K



068 005 0100

PANTER-100

BLACK

- 85-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 100W, 7500 lm
- 2700K / 4200K / 6400K




068 005 0150

PANTER-150

BLACK

- 85-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 150W, 11250 lm
- 2700K / 4200K / 6400K




068 005 0200

PANTER-200

BLACK

- 85-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 200W, 15000 lm
- 2700K / 4200K / 6400K




068 005 0300

PANTER-300

BLACK

- 85-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 300W, 22500 lm
- 2700K / 4200K / 6400K



068 005 0400

PANTER-400

BLACK

- 85-265V / 50-60Hz
- Average Life: 50.000 Hrs
- 400W, 30000 lm
- 2700K / 4200K / 6400K




068 003 0010

PUMA-10

BLACK

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 10W, 500 lm
- 6400K / 2700K / GREEN




068 003 0020

PUMA-20

BLACK

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 20W, 1000 lm
- 6400K / 2700K / GREEN




068 003 0030

PUMA-30

BLACK

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 30W, 1500 lm
- 6400K / 2700K / GREEN




068 003 0050

PUMA-50

BLACK

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 50W, 2500 lm
- 6400K / 2700K / GREEN





068 003 0100

PUMA-100

BLACK

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 100W, 5000 lm
- 6400K / 2700K




068 003 0200

PUMA-200

BLACK

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 2x100W, 10000 lm
- 6400K / 2700K



068 004 0010


PUMA/S-10

BLACK

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 10W, 500 lm
- 6400K



WITH PIR SENSOR



068 004 0020


PUMA/S-20

BLACK

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 20W, 1000 lm
- 6400K



WITH PIR SENSOR



068 004 0030


PUMA/S-30

BLACK

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 30W, 1500 lm
- 6400K



WITH PIR SENSOR



068 004 0050


PUMA/S-50

BLACK

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 50W, 2500 lm
- 6400K



WITH PIR SENSOR




068 004 0100

PUMA/S-100

BLACK

- 220-240V / 50-60Hz
- Average Life: 20.000 Hrs
- 100W, 5000 lm
- 6400K



WITH PIR SENSOR




068 002 0010

HL 171L

JAGUAR-10

BLACK

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 10W, 520 lm
- 6500K




068 002 0030

HL 172L

JAGUAR-30

BLACK

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 30W, 2014 lm
- 6500K




068 002 0100

HL 174L

JAGUAR-100

BLACK

- 220-240V / 50-60Hz
- Average Life: 50.000 Hrs
- 2x50W, 5265 lm
- 6500K



Projector Stand



TRIPOD SINGLE

107 001 0001

- TRIPOD SINGLE STAND
- 1.8 meter H05VV-F cable



TRIPOD DOUBLE

107 001 0002

- TRIPOD DOUBLE STAND
- 1.8 meter H05VV-F cable



107 001 0003

PORTABLE

- PORTABLE STAND
- 1.5 meter H05VV-F cable





HOROZ ELECTRIC

LED Canopy Light


FALCON

NEW

RECESSED

069 001 0110

- 100-240V / 50-60Hz
- 6400K
- 110W
- 11000 lm
- Average Life: 50.000 Hrs




EAGLE

NEW

SURFACED

069 002 0110

- 100-240V / 50-60Hz
- 6400K
- 110W
- 11000 lm
- Average Life: 50.000 Hrs



HOROZ ELECTRIC

LED Canopy Light




LED CANOPY LIGHT

REGAL-9

- AMBER
- 3000K
- RED
- GREEN
- BLUE

● 85-265V/50-60Hz
 ● 540 lm
 ● Average Life: 50.000 Hrs
 ● Aluminium Body

109 001 0009




REGAL-12

- AMBER
- 3000K
- RED
- GREEN
- BLUE

● 85-265V/50-60Hz
 ● 720 lm
 ● Average Life: 50.000 Hrs
 ● Aluminium Body

109 001 0012



LED Wallwasher




REGAL-18

- AMBER
- 3000K
- RED
- GREEN
- BLUE

● 85-265V/50-60Hz
 ● 1080 lm
 ● Average Life: 50.000 Hrs
 ● Aluminium Body

109 001 0018



REGAL-24

- AMBER
- 3000K
- RED
- GREEN
- BLUE

● 85-265V/50-60Hz
 ● 1440 lm
 ● Average Life: 50.000 Hrs
 ● Aluminium Body

109 001 0024



REGAL-36

- AMBER
- 3000K
- RED
- GREEN
- BLUE

● 85-265V/50-60Hz
 ● 2160 lm
 ● Average Life: 50.000 Hrs
 ● Aluminium Body

109 001 0036



070 001 0060


HL 900

NEMRUT

WHITE

BLACK

• 220-240V / 50-60Hz
• Max. 60W



070 002 0060


HL 901

TOROS

WHITE

BLACK

• 220-240V / 50-60Hz
• Max. 60W



Aluminium Bulkhead Lamp / LED Bulkhead Lamp



070 003 0060


HL 902

ZİRVE

WHITE

BLACK

• 220-240V / 50-60Hz
• Max. 60W



070 004 0060

HL 903

DORUK

WHITE

BLACK

GREY

• 220-240V / 50-60Hz
• Max. 60W



070 005 0060


HL 905

ZİGANA

WHITE

BLACK

• 220-240V / 50-60Hz
• Max. 60W



070 006 0060

HL 906

ARARAT

WHITE

BLACK

• 220-240V / 50-60Hz
• Max. 60W



070 007 0060

HL 907

ALP

WHITE

BLACK


• 220-240V / 50-60Hz
• Max. 60W



**070 008 0040**
HL 908**EVEREST**


WHITE

BLACK

• 220-240V / 50-60Hz
• Max. 40W**070 009 0060**
HL 909**HIMALAYA**

WHITE

BLACK

• 220-240V / 50-60Hz
• Max. 60W**070 010 0060**
HL 910**HAZAR**


WHITE

BLACK

• 220-240V / 50-60Hz
• Max. 60W**070 011 0060**
HL 911**KARPAT**


WHITE

BLACK

• 220-240V / 50-60Hz
• Max. 60W**070 012 0100**
HL 920**AYDER**


WHITE

BLACK

• 220-240V / 50-60Hz
• Max. 100W**070 013 0100**
HL 921**KAÇKAR**


WHITE

BLACK

• 220-240V / 50-60Hz
• Max. 100W**070 014 0100**
HL 925**MUNZUR**


WHITE

BLACK

• 220-240V / 50-60Hz
• Max. 100W**070 015 0100**
HL 926**ERCIYES**


WHITE

BLACK


• 220-240V / 50-60Hz
• Max. 100W

071 003 0006
RAMAN
BLACK


- 170-260V / 50-60Hz
- Aluminium Body
- Average Life: 35.000 Hrs
- 6W
- 400 lm
- 4000K


071 004 0006
ANT
BLACK


- 170-260V / 50-60Hz
- Aluminium Body
- Average Life: 35.000 Hrs
- 6W
- 300 lm
- 4000K


071 005 0008
SUPHAN
BLACK


- 170-260V / 50-60Hz
- Aluminium Body
- Average Life: 35.000 Hrs
- 8W
- 515 lm
- 4000K


071 006 0008
KAFKAS
BLACK

- 170-260V / 50-60Hz
- Aluminium Body
- Average Life: 35.000 Hrs
- 8W
- 420 lm
- 4000K


071 007 0012
NUR
BLACK

- 170-260V / 50-60Hz
- Aluminium Body
- Average Life: 35.000 Hrs
- 12W
- 855 lm
- 4000K


071 008 0012
ALTAY
BLACK

- 170-260V / 50-60Hz
- Aluminium Body
- Average Life: 35.000 Hrs
- 12W
- 670 lm
- 4000K


ALUMINIUM BULKHEAD LAMP / LED BULKHEAD LAMP



HOROZ ELECTRIC


Street Light / LED Street Light

073 001 0125
HL 191

VATAN-125

DARK GREY

- 220-240V / 50-60Hz
- Max. 125W




073 001 0250
HL 192

VATAN-250

DARK GREY

- 220-240V / 50-60Hz
- Max. 250W



HOROZ ELECTRIC

Street Light LED Street Light




073 002 0060
HL 190

WALL STREET

WHITE

- 220-240V / 50-60Hz
- Max. 60W
- Max. 20W ESL




074 001 0030
HL 193L

ARBAT

SILVER

- 220-240V / 50-60Hz
- 6400K
- 1x30W
- 1837 lm
- Average Life: 30.000 Hrs



STREET LIGHT / LED STREET LIGHT




074 004 0030

BROADWAY-30

DARK GREY

- 100-240V / 50-60Hz
- 4200K
- 1x30W
- 3150 lm
- Average Life: 50.000 Hrs




074 004 0050

BROADWAY-50

DARK GREY

- 100-265V / 50-60Hz
- 4200K
- 1x50W
- 5250 lm
- Average Life: 50.000 Hrs




074 004 0100

BROADWAY-100

DARK GREY

- 100-265V / 50-60Hz
- 4200K
- 2x50W
- 10500 lm
- Average Life: 50.000 Hrs




074 004 0150

BROADWAY-150

DARK GREY

- 100-265V / 50-60Hz
- 4200K
- 3x50W
- 15750 lm
- Average Life: 50.000 Hrs




074 004 0200

BROADWAY-200

DARK GREY

- 100-240V / 50-60Hz
- 4200K
- 4x50W
- 21000 lm
- Average Life: 50.000 Hrs






HOROZ ELECTRIC

Garden Lamp / LED Garden Lamp

075 002 0001
HL 200

LADİN-1


- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max 60W
- Max 12W ESL



LADİN-3

075 002 0003
HL 202


- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max 60W
- Max 12W ESL



075 002 0002
HL 201

LADİN-2


- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max 60W
- Max 12W ESL



075 002 0004
HL 203

LADİN-4

- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max 60W
- Max 12W ESL



HOROZ ELECTRIC

Garden Lamp LED Garden Lamp






KAYIN-1

075 003 0001

HL 205



- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max 60W



KAYIN-2

075 003 0002

HL 206




- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max 60W



KAYIN-3

075 003 0003

HL 208



- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max 60W




KAYIN-4

075 003 0004

HL 209



- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max 60W



GARDEN LAMP / LED GARDEN LAMP




075 001 0001
HL 295

PALMIYE-1

BLACK

- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max 100W
- Max 20W ESL




075 001 0002
HL 296

PALMIYE-2

BLACK

- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max 100W
- Max 20W ESL



075 001 0004
HL 298

PALMIYE-4

BLACK

- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max 100W
- Max 20W ESL



075 001 0003
HL 297

PALMIYE-3

BLACK

- 220-240V / 50-60Hz
- Stainless Steel and Galvanized Steel Body
- Diffuser: PC
- Max 100W
- Max 20W ESL



GARDEN LAMP / LED GARDEN LAMP




076 002 0001
HL 210L

MİMOZA-1

MAT CHROME



- Stainless Steel
- 220-240V / 50-60Hz
- 5.5 W
- 6400K
- 186 lm
- Average Life: 30.000 Hrs




076 002 0002
HL 211L

MİMOZA-2

MAT CHROME



- Stainless Steel
- 220-240V / 50-60Hz
- 5.5 W
- 6400K
- 186 lm
- Average Life: 30.000 Hrs




076 002 0003
HL 212L

MİMOZA-3

MAT CHROME



- Stainless Steel
- 220-240V / 50-60Hz
- 5.5 W
- 6400K
- 186 lm
- Average Life: 30.000 Hrs



076 002 0004
HL 213L

MİMOZA-4

MAT CHROME



- Stainless Steel
- 220-240V / 50-60Hz
- 5.5 W
- 6400K
- 186 lm
- Average Life: 30.000 Hrs



076 002 0005
HL 214L

MİMOZA-5

MAT CHROME



- Stainless Steel
- 220-240V / 50-60Hz
- 5.5 W
- 6400K
- 186 lm
- Average Life: 30.000 Hrs



076 002 0006
HL 215L

MİMOZA-6

MAT CHROME



- Stainless Steel
- 220-240V / 50-60Hz
- 5.5 W
- 6400K
- 186 lm
- Average Life: 30.000 Hrs






DEFNE-1

075 004 0001

HL 230




- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: PC
- Max 60W



DEFNE-5

075 004 0005

HL 235




- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: PC
- Max 60W



DEFNE-2

075 004 0002

HL 232




- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: PC
- Max 60W



DEFNE-3

075 004 0003

HL 233



- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: PC
- Max 60W



DEFNE-4

075 004 0004

HL 234



- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: PC
- Max 60W




075 005 0001

HL 258P

ÇINAR

- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: Glass
- Max 3x60W
- Max 3x12W ESL





075 006 0001
HL 240

AKASYA-1

- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: Glass
- Max 60W



075 006 0002
HL 242

AKASYA-2

- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: Glass
- Max 60W



075 006 0003
HL 243

AKASYA-3

- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: Glass
- Max 60W



075 006 0004
HL 244

AKASYA-4

- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: Glass
- Max 60W



075 006 0005
HL 245

AKASYA-5


- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: Glass
- Max 60W



075 006 0006
HL 245P

AKASYA-6

- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: Glass
- Max 3x60W





075 012 0001
HL 270

ERGUVAN-1

ANTIQUE RED COPPER

BLACK

WHITE

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max 60W



ERGUVAN-2

075 012 0002

HL 271

ANTIQUE RED COPPER

BLACK

WHITE

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max 60W



LEYLAK-1

075 013 0001

HL 275

ANTIQUE RED COPPER

BLACK

WHITE

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max 60W



075 012 0003
HL 272

ERGUVAN-3

ANTIQUE RED COPPER

BLACK

WHITE

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max 60W



075 013 0002

HL 276

LEYLAK-2

ANTIQUE RED COPPER

BLACK

WHITE

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max 60W





075 013 0003
HL 277


LEYLAK-3

ANTIQUE RED COPPER

BLACK

WHITE

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max 60W




075 012 0004
HL 270M

ERGUVAN-4

BLACK

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max 60W




075 012 0005
HL 270P

ERGUVAN-5

BLACK

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max 3x60W



075 012 0006
HL 273P

ERGUVAN-6

BLACK

- 220-240V / 50-60Hz
- Aluminium Body
- Diffuser: Glass
- Max 60W






075 009 0001
HL 237

MANGO-1



- 220-240V / 50-60Hz
- Stainless Steel Body+PC
- Max 15W ESL




075 009 0002
HL 238

MANGO-2



- 220-240V / 50-60Hz
- Stainless Steel Body+PC
- Max 15W ESL




075 009 0003
HL 239

MANGO-3



- 220-240V / 50-60Hz
- Stainless Steel Body+PC
- Max 15W ESL



GARDEN LAMP / LED GARDEN LAMP






075 010 0001
HL 246

GARDENYA-1

- 220-240V / 50-60Hz
- Stainless Steel Body+PC
- Max 35W




Bulb Included

075 010 0002
HL 247

GARDENYA-2

- 220-240V / 50-60Hz
- Stainless Steel Body+PC
- Max 2x35W




Bulb Included

075 010 0003
HL 248

GARDENYA-3

- 220-240V / 50-60Hz
- Stainless Steel Body+PC
- Max 35W




Bulb Included

075 010 0004
HL 249

GARDENYA-4

- 220-240V / 50-60Hz
- Stainless Steel Body+PC
- Max 2x35W




Bulb Included

075 008 0001
HL 265

MANOLYA-1

- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: Glass
- Max 35W




Bulb Included

075 008 0002
HL 266

MANOLYA-2

- 220-240V / 50-60Hz
- Stainless Steel Body
- Diffuser: Glass
- Max 2x35W




Bulb Included

075 008 0003
HL 267

MANOLYA-3

- 220-240V / 50-60Hz
- Aluminum Body
- Diffuser: Glass
- Max 2x12W ESL





HURMA

076 010 0005

NEW

DARK GREY

- 100-240V / 50-60Hz
- 5W
- 4200K
- 270 lm
- Average Life: 30.000 Hrs



IHLAMUR

076 013 0002

NEW

DARK GREY

- 100-240V / 50-60Hz
- 2W
- 4200K
- 65 lm
- Average Life: 30.000 Hrs





MERSİN

076 011 0005

NEW

DARK GREY

- 100-240V / 50-60Hz
- 5W
- 4200K
- 270 lm
- Average Life: 30.000 Hrs




İĞDE

076 014 0002

NEW

DARK GREY

- 100-240V / 50-60Hz
- 2W
- 4200K
- 65 lm
- Average Life: 30.000 Hrs




GÜRGEN

076 012 0005

NEW

DARK GREY

- 100-240V / 50-60Hz
- 5W
- 4200K
- 270 lm
- Average Life: 30.000 Hrs




İNCİR

076 015 0002

NEW

DARK GREY


- 100-240V / 50-60Hz
- 2W
- 4200K
- 110 lm
- Average Life: 30.000 Hrs



GARDEN LAMP / LED GARDEN LAMP

**SERVI**

076 009 0012

NEW**12W** **COB LED**

IP65

**BLACK****WHITE**

- 100-240V / 50-60Hz
- 12W
- 4200K
- 750 lm
- Average Life: 30.000 Hrs

**ARDIÇ**

076 003 0006


HL 237L

BLACK

- Aluminium Body
- 220-240V / 50-60Hz
- 5.5W
- 4100K
- 385 lm
- Average Life: 30.000 Hrs

**5.5W** **POWER LED**

IP44


**SELVİ**

076 007 0004

HL 241L

BLACK

- Aluminium Body
- 220-240V / 50-60Hz
- 3.5W
- 4100K
- 35 lm
- Average Life: 30.000 Hrs

**3.5W** **SMD LED**

IP44

**MEŞE**

076 004 0006


HL 238L

BLACK

- Aluminium Body
- 220-240V / 50-60Hz
- 5.5W
- 4100K
- 420 lm
- Average Life: 30.000 Hrs

**5.5W** **SMD LED**

IP44

**SALKIM**

076 008 0004


HL 242L

BLACK

- Aluminium Body
- 220-240V / 50-60Hz
- 3.5W
- 4100K
- 65 lm
- Average Life: 30.000 Hrs



IP44

3.5W **SMD LED****ZAKKUM**

076 005 0003


HL 239L

BLACK

- Aluminium Body
- 220-240V / 50-60Hz
- 3W
- 4100K
- 230 lm
- Average Life: 30.000 Hrs

**3W** **SMD LED**

IP44

**TAFLAN**

076 006 0006

HL 240L

BLACK

- Aluminium Body
- 220-240V / 50-60Hz
- 5.5W
- 4100K
- 200 lm
- Average Life: 30.000 Hrs

**5.5W** **SMD LED**

IP44

**SAFRAN-5**

076 001 0005


HL 281L

BLACK**WHITE**

- 220-240V / 50-60Hz
- 5W
- 6400K / GREEN
- 409 lm
- Average Life: 30.000 Hrs



IP65

5W **SMD LED****SAFRAN-16**

076 001 0016


HL 282L

BLACK**WHITE**

- 220-240V / 50-60Hz
- 16W
- 6400K / GREEN
- 1229 lm
- Average Life: 30.000 Hrs



IP65

16W **SMD LED**



HOROZ ELECTRIC

LED Solar Lamp

CRYSTAL

078 009 0001



- NI-MH AA 100 mAh 1.2V
- 6400K
- 0.06W
- 1.5 lm
- Average Life: 100.000 Hrs



NEW



VENÜS

078 001 0001



- NI-MH AA 200 mAh 1.2V
- 6400K
- 0.06W
- 1.5 lm
- Average Life: 100.000 Hrs



HOROZ ELECTRIC

LED Solar Lamp




SATÜRN

078 003 0001



- NI-MH AA 200 mAh 1.2V
- 6400K
- 0.06W
- 1.5 lm
- Average Life: 100.000 Hrs




MARS

078 002 0001



- NI-MH AA 200 mAh 1.2V
- 6400K
- 0.06W
- 1.5 lm
- Average Life: 100.000 Hrs




LOTUS

078 011 0001



- NI-MH AA 200 mAh 1.2V
- 6400K
- 0.06W
- 1.5 lm
- Average Life: 100.000 Hrs



NEW




ORBIT

078 010 0001



- NI-MH AA 200 mAh 1.2V
- 6400K
- 3x0.06W
- 1.5 lm
- Average Life: 100.000 Hrs



NEW



LED SOLAR LAMP



PLUTON

078 005 0001



- Ni-MH AA 100 mAh 1.2V
- 6400K
- 0.06W
- 1.5 lm
- Average Life: 100.000 Hrs



NEPTUN

078 004 0001



- Ni-MH AA 100 mAh 1.2V
- 6400K
- 0.06W
- 1.5 lm
- Average Life: 100.000 Hrs




HALLEY

078 006 0001



- Ni-MH AA 100 mAh 1.2V
- 6400K
- 0.06W
- 1.5 lm
- Average Life: 100.000 Hrs



LED SOLAR LAMP

078 008 0001

WIZARD



WITH PIR SENSOR



- 3 Ni-MH 600 mAh 1.2V
- 6400K
- 2W
- 150 lm
- Average Life: 50.000 Hrs




ON-OFF

MAGIC

078 007 0001



- 3 Ni-MH AA 100 mAh 1.2V
- 6400K
- 9x0.06W
- 9x1.5 lm
- Average Life: 100.000 Hrs



ON-OFF

**HOROZ ELECTRIC**

Inground & Recessed Type LED Lamp

RUBY 079 028 0002 **WHITE**

NEW

- 110-265V / 50-60Hz
- 2W, 100 lm
- 4000K
- With Microwave Sensor
- Average Life: 30.000 Hrs

INDOOR



86 mm
86 mm

2W SMD LED **360° Microwave Sensor**



QUARTZ 079 027 0002 **WHITE**

NEW

- 110-265V / 50-60Hz
- 2W, 100 lm
- 4000K
- With Microwave Sensor
- Average Life: 30.000 Hrs

INDOOR



86 mm
86 mm

2W SMD LED **360° Microwave Sensor**


**HOROZ ELECTRIC**

Inground & Recessed Type LED Lamp



DIAMOND 079 026 0002 **WHITE**

BLACK

GOLD

SILVER

- 110-265V / 50-60Hz
- 2W, 150 lm
- 4200K
- With Microwave Sensor
- Average Life: 30.000 Hrs

INDOOR



86 mm
86 mm

2W SMD LED **360° Microwave Sensor**



GOLD 079 025 0003 **WHITE**

- 220-240V / 50-60Hz
- 3W, 240 lm
- 4200K
- With PIR Sensor
- Average Life: 30.000 Hrs

INDOOR



32 mm
86 mm

3W SMD LED **130°**




079 001 0003


HL 957L

ZÜMRÜT

WHITE

MAT CHROME

- 220-240V / 50-60Hz
- 1x3W, 86 lm
- 4000K
- Average Life: 30.000 Hrs



079 002 0003


HL 958L

YAKUT

WHITE

MAT CHROME

- 220-240V / 50-60Hz
- 1x3W, 86 lm
- 4000K
- Average Life: 30.000 Hrs




079 004 0002

HL 941L

İNCI

- 220-240V / 50-60Hz
- 1.2W, 75 lm
- Average Life: 50.000 Hrs




INGROUND & RECESSED TYPE LED LAMP

079 003 0002

HL 940L

SAFİR

- 220-240V / 50-60Hz
- 1.2W, 75 lm
- Average Life: 50.000 Hrs



079 005 0002

HL 945L

ELMAS

WHITE

- 220-240V / 50-60Hz
- 1.8W, 98 lm
- Average Life: 50.000 Hrs







079 006 0002
HL 931L

KUVARS



- 220-240V / 50-60Hz
- 1.5W, 90 lm
- Average Life: 50.000 Hrs



079 009 0002
HL 934L

KORNET


- 220-240V / 50-60Hz
- 1.5W, 90 lm
- Average Life: 50.000 Hrs



079 007 0002
HL 932L

KALSİT



- 220-240V / 50-60Hz
- 1.8W, 105 lm
- Average Life: 50.000 Hrs



079 010 0002
HL 935L

GRANİT



- 220-240V / 50-60Hz
- 1.8W, 105 lm
- Average Life: 50.000 Hrs



079 008 0003
HL 933L

OPAL


- 220-240V / 50-60Hz
- 2.7W, 160 lm
- Average Life: 50.000 Hrs



079 011 0003
HL 936L

PIRLANTA

- 220-240V / 50-60Hz
- 2.7W, 160 lm
- Average Life: 50.000 Hrs






079 012 0002

HL 942L

MERCAN

- 220-240V / 50-60Hz
- Aluminium + Stainless Steel, PCB Board
- 1.6W, 90 lm
- Average Life: 50.000 Hrs




079 015 0002

HL 946L

SEDEF

- 220-240V / 50-60Hz
- Aluminium + Stainless Steel, PCB Board
- 1.6W, 90 lm
- Average Life: 50.000 Hrs





079 013 0002

HL 943L

AKIK

- 220-240V / 50-60Hz
- Aluminium + Stainless Steel, PCB Board
- 1.6W, 90 lm
- Average Life: 50.000 Hrs




079 016 0002

HL 947L

OLTU

- 220-240V / 50-60Hz
- Aluminium + Stainless Steel, PCB Board
- 1.6W, 90 lm
- Average Life: 50.000 Hrs





079 014 0002

HL 944L

ONIKS

- 220-240V / 50-60Hz
- Aluminium + Stainless Steel, PCB Board
- 1.6W, 90 lm
- Average Life: 50.000 Hrs




079 017 0002

HL 948L



BERİL

- 220-240V / 50-60Hz
- Aluminium + Stainless Steel, PCB Board
- 1.6W, 90 lm
- Average Life: 50.000 Hrs




**079 018 0001**
HL 951L**GÜMÜŞ**


- 220-240V / 50-60Hz
- Aluminium + Stainless Steel, PCB Board
- 0.9W, 57 lm
- Average Life: 50.000 Hrs

**079 021 0002**
HL 954L**PERLE**


- 220-240V / 50-60Hz
- Aluminium + Stainless Steel, PCB Board
- 1.2W, 72 lm
- Average Life: 50.000 Hrs

**079 019 0001**
HL 952L**BRONZ**


- 220-240V / 50-60Hz
- Aluminium + Stainless Steel, PCB Board
- 0.9W, 57 lm
- Average Life: 50.000 Hrs

**079 022 0002**
HL 955L**AMBER**


- 220-240V / 50-60Hz
- Aluminium + Stainless Steel, PCB Board
- 1.2W, 72 lm
- Average Life: 50.000 Hrs

**079 020 0001**
HL 953L**BOR**

- 220-240V / 50-60Hz
- Aluminium + Stainless Steel, PCB Board
- 0.9W, 57 lm
- Average Life: 50.000 Hrs

**079 023 0002**
HL 956L**PERA**

- 220-240V / 50-60Hz
- Aluminium + Stainless Steel, PCB Board
- 1.2W, 72 lm
- Average Life: 50.000 Hrs





HOROZ ELECTRIC

LED Christmas Light & Drivers



MONTANA

080 001 0004

- Operation Voltage: 220-240V / 50-60Hz
- Power: 4W/10 m
- Average Life: 30.000 Hrs
- Standard Length: 1m / 10 LED
- Package: 10 m / Roll



NEW



Red



Green



Blue



4200K



6400K



RGB



HOROZ ELECTRIC

LED Christmas Light & Drivers



MONTANA-D4

080 001 0001

- Operation Voltage: 220-240V / 50-60Hz
- Power: 16W/40 m
- Average Life: 30.000 Hrs



NEW

MONTANA-D10

080 001 0002

- Operation Voltage: 220-240V / 50-60Hz
- Power: 40W/100 m
- Average Life: 30.000 Hrs

NEW






HOROZ ELECTRIC

LED Strip / LED Driver / Waterproof LED Driver RGB Controller / LED Ropelight / RGB Amplifier



NEW



WATERPROOF

- Operation Voltage: 220-240V / 50-60Hz
- Power: 9W/m
- 55,000 lm, per 164ft reel
- Average Life: 30,000 Hrs
- Standart Length: 1m / 180 LED
- LED Type: 28x35 SMD
- LED View Angle: 120
- Package: 50 m / Roll
- 5 accessory

220-240V

GANJ

081 009 0001



Can be cut each 1 meter



NEW



WATERPROOF

- Operation Voltage: 220-240V / 50-60Hz
- Power: 8W/m
- 50,000 lm, per 164ft reel
- Average Life: 30,000 Hrs
- Standart Length: 1m / 180 LED
- LED Type: 28x35 SMD
- LED View Angle: 120
- Package: 50 m / Roll
- 5 accessory

220-240V

COLORADO

081 006 0001



Can be cut each 1 meter



SINGLE ROW



THREE CHIPS

220-240V



WATERPROOF

- Operation Voltage: 220-240V / 50-60Hz
- Power: 10W/m
- 30,000 lm, per 164ft reel
- Average Life: 30,000 Hrs
- Standart Length: 1m / 60 LED
- LED Type: 50x50 SMD
- LED View Angle: 120
- Package: 50 m / Roll
- 5 accessory

VOLGA

081 004 0001
HL 543L




Can be cut each 1 meter



HOROZ ELECTRIC

LED Strip LED Driver Waterproof LED Driver RGB Controller LED Ropelight RGB Amplifier




SINGLE CHIP



REN
REN/RGB

HL 540L 081 001 0001

RGB 081 001 0002



WATERPROOF

- Operation Voltage: 12V DC
- Input Current: 2A (1Roll/5m)
- Power: 24W (1Roll/5m)
- 1440 lm, per 16ft reel
- Average Life: 30,000 Hrs
- Standart Length: 1m / 60 LED
- LED Type: 35x28 SMD
- LED View Angle: 120
- Package: 5 m / Roll
- PCB Color: White
- With 3M Self-adhesive backing for easy installation



3 LEDs make a group and each group can be cut or extended in terms of the length of application



LED STRIP / LED DRIVER / WATERPROOF LED DRIVER / RGB CONTROLLER / LED ROPELIGHT / RGB AMPLIFIER



NiL


HL 541L 081 002 0001

SINGLE CHIP

NONWATERPROOF

- Operation Voltage: 12V DC
- Input Current: 2A (1Roll/5m)
- Power: 24W (1Roll/5m)
- 1.440 lm, per 16ft reel
- Average Life: 30.000 Hrs
- Standart Length: 1m / 60 LED
- LED Type: 35x28 SMD
- LED View Angle: 120
- Package: 5 m / Roll
- PCB Color: White
- With 3M Self-adhesive backing for easy installation

3 LEDs make a group and each group can be cut or extended in terms of the lenght of application



THAMES

HL 542L 081 003 0001

RGB 081 003 0002


THAMES/RGB

WATERPROOF

- Operation Voltage: 12V DC
- Input Current: 6A (1Roll/5m)
- Power: 72W (1Roll/5m)
- 4.320 lm, per 16ft reel
- Average Life: 30.000 Hrs
- Standart Length: 1m / 60 LED
- LED Type: 50x50 SMD
- LED View Angle: 120
- Package: 5 m / Roll
- PCB Color: White
- With 3M Self-adhesive backing for easy installation

3 LEDs make a group and each group can be cut or extended in terms of the lenght of application

THREE CHIPS



AMAZON

HL 542LN 081 005 0001


RGB 081 005 0002

AMAZON/RGB

NON WATERPROOF


- Operation Voltage: 12V DC
- 4320 lm per 16ft reel
- Average Life: 30.000Hrs
- Standart Length: 1m / 60 LED
- 5 m Roll
- 14.4W / m
- LED Type: 50x50 SMD LED
- Beam Angle: 120°

3 LEDs make a group and each group can be cut or extended in terms of the lenght of application



THREE CHIPS

LED Ropelight



LED ROPELIGHT

099 001 0001

2 LINE

100m ROLL

13 mm

1.8 watt/meter

30 bulb/meter

10 accessories

- 220-240V / 50-60Hz
- Average Life: 25.000 Hrs





VEGA-10


082 001 0010

HL 544



SLIM CASE

- AC 220-240V / 50-60Hz
- Output Voltage: DC 12V
- Output Power: 10W
- Output Current: 0.8A
- For 2m 35x28 SMD LED Strip
- For 1m 50x50 SMD LED Strip



VEGA-36


082 001 0036

HL 545



SLIM CASE

- AC 220-240V / 50-60Hz
- Output Voltage: DC 12V
- Output Power: 36W
- Output Current: 3A
- For 5m 35x28 SMD LED Strip
- For 1.5m 50x50 SMD LED Strip



VEGA-60


082 001 0060

HL 546



SLIM CASE

- AC 220-240V / 50-60Hz
- Output Voltage: DC 12V
- Output Power: 60W
- Output Current: 5A
- For 10m 35x28 SMD LED Strip
- For 4m 50x50 SMD LED Strip



VEGA-100


NEW

082 001 0100



SLIM CASE

- AC 220-240V / 50-60Hz
- Output Voltage: DC 12V
- Output Power: 100W
- Output Current: 8.5A
- For 20m 35x28 SMD LED Strip
- For 6.5m 50x50 SMD LED Strip



VEGA-150


082 001 0150

HL 548



SLIM CASE

- AC 220-240V / 50-60Hz
- Output Voltage: DC 12V
- Output Power: 150W
- Output Current: 12A
- For 30m 35x28 SMD LED Strip
- For 10m 50x50 SMD LED Strip



VEGA-200


082 001 0200

HL 549



SLIM CASE

- AC 220-240V / 50-60Hz
- Output Voltage: DC 12V
- Output Power: 200W
- Output Current: 17A
- For 40m 35x28 SMD LED Strip
- For 13m 50x50 SMD LED Strip



VEGA-250


NEW

082 001 0250



SLIM CASE

- AC 220-240V / 50-60Hz
- Output Voltage: DC 12V
- Output Power: 250W
- Output Current: 20.8A
- For 50m 35x28 SMD LED Strip
- For 17m 50x50 SMD LED Strip



VEGA-360


NEW

082 001 0360



SLIM CASE

- AC 220-240V / 50-60Hz
- Output Voltage: DC 12V
- Output Power: 360W
- Output Current: 30A
- For 70m 35x28 SMD LED Strip
- For 24m 50x50 SMD LED Strip



LED STRIP / LED DRIVER / WATERPROOF LED DRIVER / RGB CONTROLLER / LED ROPELIGHT / RGB AMPLIFIER



083 001 0018


VESTA-18

WATERPROOF

NEW



- AC 220-240V / 50-60Hz
- Output Voltage: DC 12V
- Output Power: 18W
- Output Current: 1.5 A
- For Max. 3.5m 35x28 SMD Led Strip
- For Max. 1.2m 50x50 SMD Led Strip



083 001 0025


HL 553

VESTA-25

WATERPROOF



- AC 220-240V / 50-60Hz
- Output Voltage: DC 12V
- Output Power: 25W
- Output Current: 2A
- For Max. 5m 35x28 SMD Led Strip
- For Max. 1.7m 50x50 SMD Led Strip



083 001 0045


VESTA-45

WATERPROOF

NEW



- AC 220-240V / 50-60Hz
- Output Voltage: DC 12V
- Output Power: 45W
- Output Current: 3.75 A
- For Max. 8m 35x28 SMD Led Strip
- For Max. 2.5m 50x50 SMD Led Strip



083 001 0060

HL 555

VESTA-60

WATERPROOF



- AC 220-240V / 50-60Hz
- Output Voltage: DC 12V
- Output Power: 60W
- Output Current: 5A
- For Max. 12m 35x28 SMD Led Strip
- For Max. 4m 50x50 SMD Led Strip



083 001 0100

VESTA-100

WATERPROOF

NEW



- AC 220-240V / 50-60Hz
- Output Voltage: DC 12V
- Output Power: 100W
- Output Current: 8.5 A
- For Max. 20m 35x28 SMD Led Strip
- For Max. 6.5m 50x50 SMD Led Strip



083 001 0150

VESTA-150

WATERPROOF

NEW



- AC 220-240V / 50-60Hz
- Output Voltage: DC 12V
- Output Power: 150W
- Output Current: 12.5A
- For Max. 30 m 35x28 SMD Led Strip
- For Max. 10 m 50x50 SMD Led Strip





083 001 0200

VESTA-200

WATERPROOF



- AC 220-240V / 50-60Hz
- Output Voltage: DC 12V
- Output Power: 200W
- Output Current: 17A
- For Max. 40m 35x28 SMD Led Strip
- For Max. 13m 50x50 SMD Led Strip






100 001 0072

RGB Controller 2A

- DC 12V - 24V
- Output Voltage: DC 12V - 24V
- Output Power: 72W
- Output Current: 2A/Each Color



For Max. 15m 35x28 SMD LED Strip
For Max. 5m 50x50 SMD LED Strip

100 002 0144



RGB Controller 4A

- DC 12V - 24V
- Output Voltage: DC 12V - 24V
- Output Power: 144W
- Output Current: 4A/Each Color



For Max. 30m 35x28 SMD LED Strip

For Max. 10m 50x50 SMD LED Strip



RGB Amplifier 12A

AMPLIFIER-12A

101 001 0144

- Input Voltage: DC 12V - 24V
- Output Voltage: DC 12V - 24V
- Output Power: 144W
- Output Current: 4A/Each Color
- 50x50 RGB Led Strips
10 Meters with 60Leds/Meter,
- 35x28 RGB Led Strips
30 Meters with 60Leds/Meter



144W



RGB Amplifier 24A

AMPLIFIER-24A

101 001 0288

- Input Voltage: DC 12V - 24V
- Output Voltage: DC 12V - 24V
- Output Power: 288W
- Output Current: 8A/Each Color
- 50x50 RGB Led Strips
20 Meters with 60Leds/Meter,
- 35x28 RGB Led Strips
60 Meters with 60Leds/Meter



288W



LED STRIP / LED DRIVER / WATERPROOF LED DRIVER / RGB CONTROLLER / LED ROPELIGHT / RGB AMPLIFIER



HOROZ ELECTRIC

Rechargeable LED Solar Camping Light /
Emergency LED Lantern / LED Headlight



HOROZ ELECTRIC

Rechargeable
LED Solar Camping Light /
Emergency LED Lantern /
LED Headlight



084 022 0010

ROMARIO

RECHARGEABLE


SOLAR



- 220-240V / 50-60Hz
- 10W, 360 lm
- 4V 1600mAh Rechargeable Sealed-Acid Battery
- Duration: 1 hour/strong light
25 hours/weak light
- Average Life: 30.000 Hrs



NEW




084 024 0001

BEST-1

RECHARGEABLE

LED TORCH



- 220-240V / 50-60Hz
- 1W, 70 lm
- 4V 0.4Ah Rechargeable Sealed-Acid Battery
- Duration: 1 hour/strong light
4 hours/weak light
- Average Life: 30.000 Hrs



NEW



084 024 0003

BEST-3

RECHARGEABLE

LED TORCH



- 220-240V / 50-60Hz
- 3W, 120 lm
- 4V 0.9Ah Rechargeable Sealed-Acid Battery
- Duration: 1 hour/strong light
4 hours/weak light
- Average Life: 30.000 Hrs



NEW




084 024 0005

BEST-5

RECHARGEABLE

LED TORCH



- 220-240V / 50-60Hz
- 5W, 210 lm
- 4V 1.6mAh Rechargeable Sealed-Acid Battery
- Duration: 1 hour/strong light
4 hours/weak light
- Average Life: 30.000 Hrs



NEW



RECHARGEABLE LED SOLAR CAMPING LIGHT / EMERGENCY LED LANTERN / LED HEADLIGHT




084 003 0001

MARADONA-1

HL 336L

RECHARGEABLE**LED TORCH**

- 220-240V / 50-60Hz
- 5W, 350 lm
- 4V 3Ah Rechargeable Sealed-Acid Battery
- Duration Time:
2 hours/strong light
8 hours/weak light
- Average Life: 30.000 Hrs



084 003 0002

MARADONA-2

HL 337L

RECHARGEABLE**LED TORCH**

- 220-240V / 50-60Hz
- 5W, 350 lm
- 4V 6Ah Rechargeable Sealed-Acid Battery
- Duration Time:
4 hours/strong light
16 hours/weak light
- Average Life: 30.000 Hrs


**PUSKAS-2**

084 005 0002

HL 332L

RECHARGEABLE**LED TORCH**

- 220-240V / 50-60Hz
- 5x1500 MCD 110°
Bright LED Torch
- 25 lm
- 4V 400mAh Rechargeable Sealed-Acid Battery
- Duration Time: 4 Hours
- Average Life: 30.000 Hrs


**PUSKAS-3**

084 005 0003

HL 333L

RECHARGEABLE**LED TORCH**


- 220-240V / 50-60Hz
- 9x1500 MCD 110°
Bright LED Torch
- 45 lm
- 0.9V 0.9Ah Rechargeable Sealed-Acid Battery
- Duration Time: 5Hours
- Average Life: 30.000 Hrs



084 006 0001

PELE-1ORANGE
GREEN
PURPLE
DARK RED
BLUE
HL 3094L**RECHARGEABLE****LED LANTERN**


- 220-240V / 50-60Hz
- 4x1500 MCD 110°
Bright LED Torch
- 4V 400mAh Rechargeable Sealed-Acid Battery
- Duration Time:
4 Hours For Strong Light
16 Hours For Weak Light
- 4x0.1W, 20 lm
- 9.000-15.000K
- Average Life: 30.000 Hrs



084 006 0002

PELE-2ORANGE
GREEN
PURPLE
DARK RED
BLUE
HL 3097L**RECHARGEABLE****LED LANTERN**

- 220-240V / 50-60Hz
- 7x1500 MCD 110°
Bright LED Torch
- 4V 400mAh Rechargeable Sealed-Acid Battery
- Duration Time:
2.5 Hours For Strong Light
10 Hours For Weak Light
- 7x0.1W, 35 lm
- 9.000-15.000K
- Average Life: 30.000 Hrs





084 006 0003

ORANGE
GREEN
PURPLE
DARK RED
BLUE

HL 3099L

PELE-3**RECHARGEABLE****LED LANTERN**

- 220-240V / 50-60Hz
- 9x1500 MCD 110°
Bright LED Torch
- 4V 900mAh Rechargeable
Sealed-Acid Battery
- Duration Time:
4 Hours For Strong Light
16 Hours For Weak Light
- 9x0.1W, 45 lm
- 9.000-15.000K
- Average Life: 30.000 Hrs



ON-OFF



084 007 0001

HL 341L

BECKHAM-1**RECHARGEABLE****LED HEADLIGHT**

- 220-240V / 50-60Hz
- 1W, 100 lm Bright Light
- 7000-9000K
- 4V 400mAh Rechargeable
Sealed-Acid Battery
- Duration Time:
1Hrs (for strong light)
4 Hrs (for weak light)
- Beam Distance: 20m
- Charging Time: 12-15 Hrs
- Average Life: 30.000 Hrs



ON-OFF



084 007 0002

HL 347L

BECKHAM-2**RECHARGEABLE****LED HEADLIGHT**

- 220-240V / 50-60Hz
- 0.7W, 35 lm Bright Light
- 9000-15000K
- 4V 400mAh Rechargeable
Sealed-Acid Battery
- Duration Time:
2 Hrs (for strong light)
8 Hrs (for weak light)
- Beam Distance: 10m
- Charging Time: 12-15 Hrs
- Average Life: 30.000 Hrs



ON-OFF



084 007 0003

HL 343L

BECKHAM-3**RECHARGEABLE****LED HEADLIGHT**

- 220-240V / 50-60Hz
- 3W, 200 lm Bright Light
- 7000-9000K
- 4V 900mAh Rechargeable
Sealed-Acid Battery
- Duration Time:
1Hrs (for strong light)
4 Hrs (for weak light)
- Beam Distance: 30m
- Charging Time: 12-15 Hrs
- Average Life: 30.000 Hrs



ON-OFF



084 007 0004

HL 349L

BECKHAM-4**RECHARGEABLE****LED HEADLIGHT**

- 220-240V / 50-60Hz
- 0.9W, 45 lm Bright Light
- 9000-15000K
- 4V 900mAh Rechargeable
Sealed-Acid Battery
- Duration Time:
4 Hrs (for strong light)
16 Hrs (for weak light)
- Beam Distance: 20m
- Charging Time: 12-15 Hrs
- Average Life: 30.000 Hrs



ON-OFF





WENGER

084 025 0002

NEW



RECHARGEABLE

EMERGENCY


LANTERN

- 220-240V / 50-60Hz
- 120 Pcs LED
- 560 lm
- 4V 3Ah Rechargeable Sealed-Acid Battery
- Duration Time: Step 1: 1Hours Step 2: 2 Hours
- Average Life: 30.000 Hrs

ZICO-4

084 012 0004

HL 313L



RECHARGEABLE

LED LANTERN


- 220-240V / 50-60Hz
- 30x1500 MCD 110° Bright LED Light
- 150 lm
- 1x4V 1.6Ah Rechargeable Sealed-Acid Battery
- Duration Time: Step 1: 10 Hours Step 2: 2 Hours
- Average Life: 30.000 Hrs



ZICO-6

084 012 0006

HL 312L



RECHARGEABLE

LED LANTERN

- 220-240V / 50-60Hz
- 60x1500 MCD 110° Bright LED Light
- 300 lm
- 2x4V 1.6Ah Rechargeable Sealed-Acid Battery
- Duration Time: Step 1: 9 Hours Step 2: 2 Hours
- Average Life: 30.000 Hrs



MALDINI-2

084 014 0002

HL 306L



EMERGENCY EXIT

SAFETY EMERGENCY

LANTERN

- 220-240V / 50-60Hz
- 18x1500 MCD 110° Bright LED Light
- 90 lm
- 2x4V 0.9Ah Rechargeable Sealed-Acid Battery
- Duration Time: 6 Hours
- Ceiling & Wall-Mounted Emergency & Automatic Light-Up
- Average Life: 30.000 Hrs



MALDINI-3

084 014 0003

HL 308L



EMERGENCY EXIT

SAFETY EMERGENCY

LANTERN

- 220-240V / 50-60Hz
- 24x1500 MCD 110° Bright LED Light
- 120 lm
- 2x4V 0.9Ah Rechargeable Sealed-Acid Battery
- Duration Time: 5 Hours
- Ceiling & Wall-Mounted Emergency & Automatic Light-Up
- Average Life: 30.000 Hrs



FIGO-6

084 013 0006

HL 306



EMERGENCY EXIT

SAFETY EMERGENCY

LANTERN

- 220-240V / 50-60Hz
- 1x 6W, 70 lm
- 2x4V 0.9Ah
- Rechargeable Sealed-Acid Battery
- Duration Time: 90 Minutes
- Ceiling & Wall-Mounted Emergency & Automatic Light-Up
- Average Life: 8.000 Hrs



FIGO-8

084 013 0008

HL 308



EMERGENCY EXIT

SAFETY EMERGENCY

LANTERN

- 220-240V / 50-60Hz
- 1x 8W, 103 lm
- 2x4V 0.9Ah Rechargeable Sealed-Acid Battery
- Duration Time: 90 Minutes
- Ceiling & Wall-Mounted Emergency & Automatic Light-Up
- Average Life: 8.000 Hrs



RECHARGEABLE LED SOLAR CAMPING LIGHT / EMERGENCY LED LANTERN / LED HEADLIGHT

**LINEKER**

084 015 0003

HL 304L

**RECHARGEABLE****LED DESK LAMP**

- 220-240V / 50-60Hz
- 25x1500 MCD 110° Bright LED Light
- 120 lm
- 6V 2Ah Rechargeable Sealed-Acid Battery
- Duration time For 24 LED: 10 hours For 1LED: 100 hours
- Average Life: 30.000 Hrs

**ZIDANE**

084 016 0003

HL 304LR

**RECHARGEABLE****LED DESK LAMP****WITH RADIO**


- 220-240V / 50-60Hz
- 24x1500 MCD 110° Bright LED Light
- 120 lm
- 2x4V 900mAh Rechargeable Sealed-Acid Battery
- Duration time For 24 LED: 4 hours
- Radio: 3 hours
- Average Life: 30.000 Hrs



084 017 0003

HAGI

HL 319LR

**RECHARGEABLE****LANTERN****WITH RADIO**

- 220-240V 50/60 Hz
- 24x1500 MCD 110° Bright LED Light
- 3x1500 MCD 110° Bright LED Torch
- 120 lm
- 6V 2.0Ah Rechargeable Sealed-Acid Battery
- Duration time For 24 LED: 12 hours For 3 LED: 24 hours For Radio: 8 hours
- Average Life: 30.000 Hrs

**MÜLLER**

084 018 0001

HL 310L

**RECHARGEABLE****LED LAMP****E27**

- 220-240V / 50-60Hz
- 10x1500 MCD 110° Bright LED Light
- 50 lm
- 4V 0.9Ah Rechargeable Sealed-Acid Battery
- Duration Time: 6 Hours
- Emergency & Automatic Light-Up
- AC / DC Operated
- Average Life: 30.000 Hrs


**ROBSON**

084 020 0002

HL 330L

**EMERGENCY****EXIT & SAFETY****LED LAMP**

- 220-240V / 50-60Hz
- 100 lm
- 1.2V 350mAh Rechargeable Ni-Cd Battery
- Average Life: 20.000 Hrs
- Duration Time: 120 minutes




084 019 0001

ZOFF

HL 3301L

**EXIT & SAFETY LAMP****LED LAMP**

- 220-240V / 50-60Hz
- 50 lm
- 1.2V 600mAh Rechargeable Ni-Cd Battery
- Average Life: 10.000 Hrs
- Duration Time: 90 minutes





085 001 0002
HL 991L

REX


WHITE

BLUE

GREEN

RED

- 220-240V / 50-60Hz
- Each Led 2,3 lm
- Average Life: 20.000 Hrs



085 001 0003
HL 992L

BUGS


WHITE

BLUE

GREEN

RED

- 220-240V / 50-60Hz
- Each Led 2,3 lm
- Average Life: 20.000 Hrs



LED Night Lamp



085 001 0004
HL 993L

MAX


WHITE

BLUE

GREEN

RED

- 220-240V / 50-60Hz
- Each Led 2,3 lm
- Average Life: 20.000 Hrs



085 001 0005
HL 994L

DUFFY


WHITE

BLUE

GREEN

RED

- 220-240V / 50-60Hz
- Each Led 2,3 lm
- Average Life: 20.000 Hrs



085 001 0001
HL 990L

DORA


WHITE

BLUE

GREEN

RED

- 220-240V / 50-60Hz
- Each Led 2,3 lm
- Average Life: 20.000 Hrs




085 001 0006
HL 981L

SIMPSON

WHITE

(LANDSCAPE)

- 220-240V / 50-60Hz
- Each Led 2,3 lm
- Average Life: 20.000 Hrs




086 001 0001

HL 452

LORD

Specification

- Power Source: Emitter - 12V DC (Battery Included)
- Receiving: 3V/DC (2xAA1.5V)
- Working frequency: 315MHz
- Distance: 150m (open position)
- Sound level: 60 db max
- Sound type: 38 songs optional




086 001 0002

HL 453

SOLID

Specification

- Power Source: Emitter - 12V DC (Battery Included)
- Receiving: 4.5V/DC (3xAA1.5V)
- Working frequency: 315MHz
- Distance: 150m (open position)
- Sound level: 60 db max
- Sound type: 38 songs optional




086 001 0006

HL 457

SOLO

Specification

- 4.5V
- Work Voltage of the Emitter: 12V
- Work Frequency: 315 Mhz
- Remote Control: 120m (in open air)
- Sound Type: 38 Songs Optional




086 001 0004

HL 455

ALBA

Specification

- 4.5V
- Work Voltage of the Emitter: 12V
- Work Frequency: 315 Mhz
- Remote Control: 120m (in open air)
- Sound Type: 38 Songs Optional




086 001 0003

HL 454

HELIX

Specification

- Operation Voltage: 4.5V DC (3xAA1.5V) or 12V DC Adaptor
- Sensing Distance: 6 m
- Distance Range: 110'
- Sound level: 60 db max
- Sound type: Ding Dong, Hello, Welcome + Alarm




086 001 0005

HL 456

VIOLA

Specification

- 4.5V
- Work Voltage of the Emitter: 12V
- Work Frequency: 315 Mhz
- Remote Control: 120m (in open air)
- Sound Type: 38 Songs Optional



TUCSON

NEW

088 001 0009



Specification

- Detection Range: 180°
- Detection Source: 220-240V/AC
- Power Frequency: 50/60Hz
- Rated Load: Max. 800W (Incandescent) 400W (ESL)
- Detection Distance: 12m Max. (-24°C)
- Time Delay: Min. 10sec + 3sec Max. 15min + 2min
- Ambient Light: <math>< 3-2000\text{LUX}</math> (adjustable)
- Installation Height: 1.8 - 2.5m
- Detection Motion Speed: 0.6-1.5m/s



MONDEO


088 001 0010



NEW

Specification

- Detection Range: 360°
- Detection Source: 220-240V/AC
- Power Frequency: 50/60Hz
- Rated Load: Max. 800W (Incandescent) 400W (ESL)
- Detection Distance: 6m Max. (-24°C)
- Time Delay: Min. 10sec + 3sec Max. 15min + 2min
- Ambient Light: <math>< 3-2000\text{LUX}</math> (adjustable)
- Installation Height: 2.2-4m
- Detection Motion Speed: 0.6-1.5m/s



ROVER

NEW

088 001 0011



Specification

- Detection Angle: 360°
- Detection Source: 220-240V/AC
- Power Frequency: 50/60Hz
- Rated Load: Max. 800W (Incandescent) 400W (ESL)
- Detection Distance: 6m Max. (-24°C)
- Time Delay: Min. 10sec + 3sec Max. 15min + 2min
- Ambient Light: <math>< 3-2000\text{LUX}</math> (adjustable)
- Installation Height: 2.2-4m
- Detection Motion Speed: 0.6-1.5m/s



SMART


088 001 0005
HL 484



WHITE

Specification

- Operation Voltage: 220-240V / 50-60Hz AC
- Detection Distance: 6m Max. (-24°C)
- Time-delay: 10s to 7 min (adjustable)
- Ambient Light: 10Lux / 2000Lux (choice)



CORSA

088 001 0006
HL 485



Specification

- Operation Voltage: 220-240V / 50-60Hz AC
- Rated Load: Max. 800W (110-130V), 1200W (220-240V)
- Detection Distance: 6m Max. (-24°C)
- Time-delay: 10s to 7 min (adjustable)
- Ambient Light: 3Lux / 2000Lux (adjustable)
- Detection Motion Speed: 0.6-1.5m/s
- Installation Height: 2.2-4m



FOCUS

088 001 0001
HL 480



WHITE
BLACK

Specification

- Operation Voltage: 220-240V / 50-60Hz AC
- Detection Distance: 8 + 1m Max. (-24°C)
- Time-delay: 5 sec - 10x2 min.
- Ambient Light: <math>< 10\text{Lux} - 2000\text{Lux}</math>
- Average Load: Max 1000W



088 001 0007

POLO

Specification

HL 486
MICROWAVE SENSOR
Detection is possible to go through doors, panes of glass or thin walls



- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 1-8 m (radius) adjustable
- Time-delay: Min. 10 sec + 3 sec, Max. 12 min + 1 min
- Ambient Light: +3 - 2000Lux (adjustable)
- Average Load: Max 1200W (-220V AC) 300W (-220V AC)
- Detection Motion Speed: 0,6-1,5 m/s



088 001 0008

MEGANE

Specification

HL 487
INFRARED MOTION SENSOR



- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 12 m Max. (-24°C)
- Time-delay: Min. 10 sec + 3 sec, Max. 7 min + 2 min
- Ambient Light: +3 - 2000Lux (adjustable)
- Average Load: Max 1200W (-220V AC) 300W (-220V AC)
- Detection Motion Speed: 0,6-1,5 m/s



088 001 0002


CORONA

Specification

HL 481



- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 8 + 1 m Max. (-24°C)
- Time-delay: 5 sec - 10 + 2 min
- Ambient Light: +10Lux - 2000Lux
- Average Load: Max 1000W (-220V AC)



WHITE
BLACK



088 001 0004


GOLF

Specification

HL 483



- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 6 + 2 m Max. (-24°C)
- Time-delay: Max: 5 sec - 10 + 2 min. (adjustable)
- Ambient Light: +10Lux - 1000Lux
- Sound Control Sensitivity: 30db - 90db (adjustable)
- Average Load: 500W (220V AC-240V AC)



WHITE



088 001 0003


LINEA

Specification

HL 482



- Operation Voltage: 220-240V / 50-60Hz
- Detection Distance: 8 + 2 m Max. (-24°C)
- Time-delay: 5 sec - 8 + 2 min
- Ambient Light: +10Lux - 2000Lux
- Average Load: Max 1000W (-220V AC)



WHITE
BLACK



Light Control Photosensor

FLASH


Specification

089 001 0001

HL 470



- Operation Voltage: 220-240V / 50-60Hz
- Ambient Light: +50Lux
- Load Power: 1000W (6A)



Light Control Photosensor

FLEX


Specification

089 001 0002

HL 471



- Operation Voltage: 220-240V / 50-60Hz
- Ambient Light: +50Lux
- Load Power: 1200W (10A)



Light Control Photosensor

LUXOR


Specification

089 001 0003

HL 472




- Operation Voltage: 220-240V / 50-60Hz
- Ambient Light: +50Lux
- Load Power: 2700W (25A)



CONTROLLER-1


105 001 0001

Wireless Lighting Controller Switch



Specification

- Working voltage: AC 180-240V 50Hz
- Operation Range: 30m-60m in 360 degree (in open area)
- Tungsten filament lamp<1000W Energy saving lamp/LED<300W Energy saving lamp/LED<6 PCS
- Working voltage: 12V(A23 alkaline battery)



30m-60m


TIMER-1

108 001 0001



Mechanical Daily Timer Plug


- Working voltage: AC 220-240V 50Hz
- Power: 3500W
- Current: 16A
- 24 On/Off Programs
- Minimum Setting: 30 minutes
- 24 Hours Programming
- No Power Reserve
- Not Included Battery



CONTROLLER-2


105 001 0002

Wireless Lighting Controller Switch



Specification

- Working voltage: AC 180-240V 50Hz
- Operation Range: 30m-60m in 360 degree (in open area)
- Tungsten filament lamp<1000W Energy saving lamp/LED<300W Energy saving lamp/LED<6 PCS
- Working voltage: 12V(A23 alkaline battery)



30m-60m


TIMER-2

108 002 0001



Digital Weekly Electronic Timer Plug

- Working voltage: AC 220-240V 50Hz
- Power: 3500W
- Current: 16A
- 20 On/Off Programs
- Minimum Setting: 1 minutes
- With Battery Ni-Mh
- Power Reserve
- Included Battery



CONTROLLER-3

105 001 0003

Wireless Lighting Controller Switch



Specification

- Working voltage: AC 180-240V 50Hz
- Operation Range: 30m-60m in 360 degree (in open area)
- Tungsten filament lamp<1000W Energy saving lamp/LED<300W Energy saving lamp/LED<6 PCS
- Working voltage: 12V(A23 alkaline battery)



30m-60m

TIMER-3

108 003 0001



Mechanical Daily Slim Timer

- Working voltage: AC 220-240V 50Hz
- Power: 3500W
- Current: 16A
- 48 On/Off Programs
- Minimum Setting: 15 minutes
- 24 Hours Programming
- Power Reserve
- Included Battery





090 001 0010

HL 380 10W

BALLAST-0010

090 001 0015

HL 381 15W

BALLAST-0015

090 001 0018

HL 382 18W

BALLAST-0018

090 001 0030

HL 383 30W

BALLAST-0030

090 001 0036

HL 384 36W

BALLAST-0036

ELECTRONIC BALLAST

220-240V / 50-60Hz



090 001 2018

HL 385 2x18W

BALLAST-2018

090 001 2036

HL 386 2x36W

BALLAST-2036

ELECTRONIC BALLAST

220-240V / 50-60Hz



093 001 0060

TRANSFORMER-60

HL 370 12V, 60W

093 001 0105

TRANSFORMER-105

HL 371 12V, 105W


093 001 0150

TRANSFORMER-150

HL 372 12V, 150W

ELECTRONIC TRANSFORMER

220-240V / 50-60Hz



090 001 4018

HL 387 4x18W

BALLAST-4018

090 001 4036

HL 388 4x36W

BALLAST-4036

ELECTRONIC BALLAST

220-240V / 50-60Hz







HOROZ ELECTRIC

Lamp Holder

094 001 0001 HL 580



094 002 0001 HL 584



094 003 0001 HL 590




HOROZ ELECTRIC


Lamp Holder




094 002 0002 HL 585




094 003 0002 HL 591




094 001 0002 HL 581




094 002 0003 HL 586




094 003 0003 HL 592




094 001 0003 HL 582




094 002 0004 HL 587




094 003 0004 HL 593



094 001 0004 HL 583



094 004 0001 HL 550




10 cm.

20 cm.



094 004 0002 HL 551

15 cm.



LAMP HOLDER



HOROZ ELECTRIC


Starter / Socket / Connector / UTP Cat5e / UTP Cat6e / Cable Tie / Nail Cable Clip / RG6 / Adhesive Tape / Drywall Kit Apparatus

Starter S2



- 220-240V SINGLE
- 4-6-8-15-18-22W
- 110-130V SINGLE
- 220-240V SERIES 4-22W

Starter S10



- 220-240V SINGLE
- 4-65W



HOROZ ELECTRIC

Starter / Socket / Connector / UTP Cat5e / UTP Cat6e / Cable Tie / Nail Cable Clip / RG6 / Adhesive Tape / Drywall Kit Apparatus



DRY KIT

111 001 0001



- Drywall Kit Apparatus
- For Star & Galaksi Series

SOCKET




- WATERPROOF LED STRIP: FOR 081-004-0001
- INPUT VOLTAGE: 220V AC
- CABLE FEATURE: 2x0,75mm² Flexible
- ACCESSORIES: 5 pcs Silicon Clips, 1 pcs Connector, 1 pcs Middle Plug, 1 pcs End Cap
- Pin Types: 9 mm



CONNECTOR

MODEL: 053-001-Series



ADHESIVE TAPE



- 10 YARD
- 20 YARD
- WHITE
- YELLOW
- RED
- BLUE
- GREEN
- BLACK
- GREEN - YELLOW

STARTER / SOCKET / CONNECTOR / UTP CAT5E / UTP CAT6E CABLE TIE / NAIL CABLE CLIP / RG6 / ADHESIVE TAPE / DRYWALL KIT APPARATUS

**UTP Cat5e**■ NETWORK CABLE
305m ROLL**UTP Cat6**■ NETWORK CABLE
305m ROLL**RG6**COAXIAL CABLE
100m ROLL

6,8 PVC | 64x0,12 AL. BRAIDING | AL FOIL BONDED | 4,8 FPE | 1,02 CCS

NAIL CABLE CLIP

CIRCLE	NAIL
4 mm	1.7 x 15
5 mm	1.7 x 15
6 mm	1.7 x 17
7 mm	1.8 x 19
8 mm	1.9 x 21
9 mm	2.0 x 22
10 mm	2.05 x 25
12 mm	2.05 x 27
14 mm	2.4 x 32
16 mm	2.5 x 35
18 mm	2.5 x 37
22 mm	2.8 x 48


CABLE TIE

- 2,5*100
- 2,5*150
- 2,5*200
- 3,6*150
- 3,6*200
- 3,6*250
- 3,6*280
- 3,6*300
- 3,6*370
- 4,8*200
- 4,8*250
- 4,8*300
- 4,8*350
- 4,8*370
- 4,8*400
- 7,2*300
- 7,2*350
- 7,2*400
- 7,2*450
- 9*550
- 9*650
- 9*750
- 9*1020




**106 002 0015****WIRE SPRING-2/1.5****106 002 0025****WIRE SPRING-2/2.5****106 002 0060****WIRE SPRING-2/6****2 Pole Wire Spring Connector**


- 0,2-1,5 mm² / 0,5-2,5 mm² / 1,5-6,0 mm²
- 5A/380V / 10A/380V / 25A/380V
- 2 Pole

**106 003 0015****WIRE SPRING-3/1.5****106 003 0025****WIRE SPRING-3/2.5****106 003 0060****WIRE SPRING-3/6****3 Pole Wire Spring Connector**

- 0,2-1,5 mm² / 0,5-2,5 mm² / 1,5-6,0 mm²
- 5A/380V / 10A/380V / 25A/380V
- 3 Pole

**Terminal Block Compact Connector Wire Spring Connector****103 001 0002****2 POLE COMPACT CONNECTOR****CONNECTOR-2**


- Voltage: 400V/4kV-
- Max. 32A
- Wire Range: 0.08 - 4 mm²
- Wiring Type: Spring Clamping 28-10AWG

**TERMINAL BLOCK**


- 3 A, 4 mm²
- 5 A, 6 mm²
- 10 A, 10 mm²
- 30 A, 16 mm²
- 60 A, 25 mm²

**103 001 0003****3 POLE COMPACT CONNECTOR****CONNECTOR-3**

- Voltage: 400V/4kV-
- Max. 32A
- Wire Range: 0.08 - 4 mm²
- Wiring Type: Spring Clamping 28-10AWG

**103 001 0005****5 POLE COMPACT CONNECTOR****CONNECTOR-5**

- Voltage: 400V/4kV-
- Max. 32A
- Wire Range: 0.08 - 4 mm²
- Wiring Type: Spring Clamping 28-10AWG



**HOROZ ELECTRIC**


Cable Reel

104 006 0015

CABLE REEL

REEL-15**15 meters**


- Operation Voltage: 250V~/50-60Hz
- Max. 3500W
- Max. 16A
- 3x1.5 mm²
- 4 Sockets
- 15 Meters
- Overload Protection

**104 006 0025**

CABLE REEL

REEL-25**25 meters**

- Operation Voltage: 250V~/50-60Hz
- Max. 3500W
- Max. 16A
- 3x1.5 mm²
- 4 Sockets
- 25 Meters
- Overload Protection

**HOROZ ELECTRIC**


Cable Reel

**104 006 0050**

CABLE REEL

REEL-50**50 meters**


- Operation Voltage: 250V~/50-60Hz
- Max. 3500W
- Max. 16A
- 3x1.5 mm²
- 4 Sockets
- 50 Meters
- Overload Protection

**104 007 0025**

CABLE REEL

EMPTY-25**WITHOUT CABLE/25 meters**

- Operation Voltage: 250V~/50-60Hz
- Max. 3500W
- Max. 16A
- 3x1.5 mm²
- 4 Sockets
- 25 Meters
- Overload Protection



KaçmazGrup

High Quality **High Performance**



www.kacmazgroup.com



www.facebook.com/horozelectric



twitter.com/HorozElectric



www.linkedin.com/company/horozk-elektrik-ve-elektronik-tic-koll-siti-



www.facebook.com/horozelectric



twitter.com/HorozElectric



www.linkedin.com/company/horozk-elektrik-ve-elektronik-tic-koll-siti

 **Kaçmaz**Grup

www.horozelektrik.com